

SUBJECT INDEX

VOLUME 50

A

Absorption Spectroscopy.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513.

Accelerated Testing.

Correlation of Accelerated Weathering Machines—Roy W. Hill, George S. Cook, and William E. Moyer. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 32 (TP44).

Acoustical Materials.

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 57 (TP243).

Adhesion.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies—A. G. H. Dietz, P. J. Closmann, G. M. Kavanagh, and J. N. Rossen, 1414. Discussion, 1427.

Adhesives.

Adhesives. Report of Committee D-14, 375. Approximating the Attractive Forces of Adhesion for Glass and Other Surfaces—Frank Moser. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 62 (TP248).

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 57 (TP243).

Administrative Committees.

See *Board of Directors*.

Aggregates.

Concrete and Concrete Aggregates, Report of Committee C-9, 209.

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits—E. A. Abdun-Nur and Dart Wantland, 1364. Discussion, 1379.
Method of Petrographic Examination of Aggregates for Concrete—Katharine Mather and Bryant Mather, 1288. Discussion, 1312.

Air Content.

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete—Alexander Klein, David Pirtz, and Milos Polivka, 1283. Discussion, 1287.

Aircraft Materials.

Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft—Hugh L. Logan, 669. Discussion, 714.

Evaluation of Rubbing Compounds for Use on Lacquered Aircraft Surfaces—R. A. Machlowitz. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 31 (TP257).

Fatigue Characteristics of Aircraft Materials and Fastenings—T. E. Piper, K. F. Finlay, and A. P. Binsacca. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 60 (TP122).

Fatigue Notch Sensitivities of Some Aircraft Materials—Horace J. Grover, 717. Discussion, 730.

Fire-Resistant Finishes for Aircraft—J. A. Jones and R. V. Niswander. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 53 (TP115). Discussion, p. 59 (TP121).

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in *ASTM BULLETIN*, No. 168, September, 1950, p. 56 (TP184); Discussion, p. 63 (TP191).

Methods of Evaluating Aircraft Primers—Edward T. Nelson. Published in *ASTM BULLETIN*, No. 167, July, 1950, p. 88 (TP170). Discussion, p. 90 (TP172).

SUBJECT INDEX

VOLUME 50

A

Absorption Spectroscopy.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513.

Accelerated Testing.

Correlation of Accelerated Weathering Machines—Roy W. Hill, George S. Cook, and William E. Moyer. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 32 (TP44).

Acoustical Materials.

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 57 (TP243).

Adhesion.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies—A. G. H. Dietz, P. J. Closmann, G. M. Kavanagh, and J. N. Rossen, 1414. Discussion, 1427.

Adhesives.

Adhesives. Report of Committee D-14, 375. Approximating the Attractive Forces of Adhesion for Glass and Other Surfaces—Frank Moser. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 62 (TP248).

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 57 (TP243).

Administrative Committees.

See *Board of Directors*.

Aggregates.

Concrete and Concrete Aggregates, Report of Committee C-9, 209.

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits—E. A. Abdun-Nur and Dart Wantland, 1364. Discussion, 1379.
Method of Petrographic Examination of Aggregates for Concrete—Katharine Mather and Bryant Mather, 1288. Discussion, 1312.

Air Content.

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete—Alexander Klein, David Pirtz, and Milos Polivka, 1283. Discussion, 1287.

Aircraft Materials.

Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft—Hugh L. Logan, 669. Discussion, 714.

Evaluation of Rubbing Compounds for Use on Lacquered Aircraft Surfaces—R. A. Machlowitz. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 31 (TP257).

Fatigue Characteristics of Aircraft Materials and Fastenings—T. E. Piper, K. F. Finlay, and A. P. Binsacca. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 60 (TP122).

Fatigue Notch Sensitivities of Some Aircraft Materials—Horace J. Grover, 717. Discussion, 730.

Fire-Resistant Finishes for Aircraft—J. A. Jones and R. V. Niswander. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 53 (TP115). Discussion, p. 59 (TP121).

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in *ASTM BULLETIN*, No. 168, September, 1950, p. 56 (TP184); Discussion, p. 63 (TP191).

Methods of Evaluating Aircraft Primers—Edward T. Nelson. Published in *ASTM BULLETIN*, No. 167, July, 1950, p. 88 (TP170). Discussion, p. 90 (TP172).

Preliminary Considerations for Testing Sandwich Radome Materials—G. R. Huisman and R. H. Wight. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 19 (TP31).

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

Testing of Sandwich Constructions at the Forest Products Laboratory—Edward W. Kuenzi. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 21 (TP33).

Air Entrainment.

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete—Alexander Klein, David Pirtz and Milos Polivka, 1283. Discussion, 1287.

Tests for Air-Entraining Agents in Cement and Concrete—G. W. Washa, C. H. Scholer, D. W. Lewis, and N. H. Withey. Published in *ASTM BULLETIN*, No. 163, January, 1950, p. 61 (TP11); Discussion, No. 168 September, 1950, p. 82 (TP210).

Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Magnesium; Zinc.**

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service—L. W. Eastwood, Webster Hodge, and C. H. Lorig, 1013. Discussion, 1034.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O—Joseph Marin, J. H. Faupel, and L. W. Hu, 1054. Discussion, 1071.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 159.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188.

Electrical-Heating, Resistance, and Related Alloys. Report of Committee B-4, 139.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Investigation of Purity of Aluminum-Silicon Die Casting Alloys—Donald L. Colwell.

Published in *ASTM BULLETIN*, No. 163, January, 1950, p. 51 (TP1).

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 173.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service—K. Grube and L. W. Eastwood, 989. Discussion, 1011.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service—K. Grube, J. A. Davis, and L. W. Eastwood, 965. Discussion, 988.

Metallography. Report of Committee E-4, 440.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Appendix, Report of Committee B-5, 162.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Appendix, Report of Committee B-7, 175.

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

Wires for Electrical Conductors. Report of Committee B-1, 130.

Alloy Steel.

See also **Steel.**

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188.

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels—V. N. Krivobok and A. M. Talbot, 895. Discussion, 929.

Fatigue-Notch Sensitivities of Some Aircraft Materials—H. J. Grover, 717. Discussion, 730.

Hardened Alloy Steel for Service up to 700 F.—G. V. Smith, W. B. Seens, and E. J. Dulis, 882. Discussion, 893.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys. Report of Committee A-10, 126.

Alloy Steel—continued.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation—J. M. Cameron and W. J. Youden, 951. Discussion, 961.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Aluminum.

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service—L. W. Eastwood, Webster Hodge, and C. H. Lorig, 1013. Discussion, 1034.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O—Joseph Marin, J. H. Faupel, and L. W. Hu, 1054. Discussion, 1071.

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Effects of Anodic Coatings on the Fatigue Strength of Aluminum Alloys—G. W. Stickley and F. M. Howell, 735. Discussion, 743.

Fatigue Characteristics of Aircraft Materials and Fastenings—T. E. Piper, K. F. Finlay, and A. P. Binsacca. Published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122).

Fatigue Notch-Sensitivities of Some Aircraft Materials—Horace J. Grover, 717. Discussion, 730.

Fatigue. Report of Committee E-9, 497.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Investigation of Purity of Aluminum-Silicon Die Casting Alloys—Donald L. Colwell. Published in ASTM BULLETIN, No. 163, January, 1950, p. 51 (TP1).

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 173.

Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil—W. C. Aber and F. M. Howell. Appendix II, Report of Committee E-1, 425.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Appendix, Report of Committee B-7, 175.

Statistical Properties of Fatigue Data on 24S-T Aluminum Alloy—A. K. Head. Published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Survey of Fatigue Projects. Report of Survey Subcommittee, Committee E-9, 499.

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

Wires for Electrical Conductors. Report of Committee B-1, 130.

Amaloy Coatings.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Annual Address by President.

Annual Address by the President, J. G. Morrow, 26. Also published in ASTM BULLETIN, No. 167, July, 1950, p. 55 (TP137).

Annual Meeting.

Annual Report of the Board of Directors, 29. Summary of Proceedings of the Fifty-third Annual Meeting, 1.

Anodic Coatings.

Effects of Anodic Coatings on the Fatigue Strength of Aluminum Alloys—G. W. Stickley and F. M. Howell, 735. Discussion, 743.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 173.

Antifreezes.

See **Engine Antifreezes.**

Aromatic Hydrocarbons.

Industrial Aromatic Hydrocarbons. Report of Committee D-16, 385.

Asbestos.

Asbestos-Cement Products. Report of Committee C-17, 225.

Textile Materials. Report of Committee D-13, 366.

Asphalt.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures—G. McFadden and W. C. Ricketts. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1).

Road and Paving Materials. Report of Committee D-4, 315.

Austenitic Grain Size.

Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel—G. M. Sinclair and T. J. Dolan, 587. Discussion, 617.

Award of Merit.

ASTM Award of Merit. Summary of Proceedings, 14.

B**Barbed Wire.**

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Bast and Leaf Fibers.

Textile Materials. Report of Committee D-13, 366.

Bearing Metal.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Investigation of Bearing Materials Under Various Degrees of Lubrication in the Low-Speed Range—Louis A. Nowell, Jr. Published in ASTM BULLETIN, No. 168, September, 1950, p. 47 (TP175).

Metal Powders and Metal Powder Products. Report of Committee B-9, 184.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Benzene.

Industrial Aromatic Hydrocarbons. Report of Committee D-16, 385.

Bituminous Materials.

Road and Paving Materials. Report of Committee D-4, 315.

Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Bond.

A New Technique for Bond Measurement in Reinforced Concrete—J. Trueman Thompson and Alvin C. Loewer, Jr. Published in ASTM BULLETIN, No. 166, May, 1950, p. 69 (TP131); Discussion, No. 169, October, 1950, p. 53 (TP239).

Board of Directors.

Annual Report, 29.

Boiler Feedwater.

Boiler Feedwater Studies. Joint Research Committee Report, 406.

Water for Industrial Uses. Report of Committee D-19, 399.

Bolts.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Boxes.

Shipping Containers. Report of Committee D-10, 346.

Brass.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 159.

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Appendix, Report of Committee B-5, 162.

Brick.

Manufactured Masonry Units. Report of Committee C-15, 221.

Refractories. Report of Committee C-8, 203.

Brick—continued.

Some Properties of Reinforced Grouted Brick Masonry—Norman W. Kelch. Published in ASTM BULLETIN, No. 168, September, 1950, p. 65 (TP197); Discussion, p. 77 (TP205).

Bromine Number.

Proposed Method of Test for Bromine Number of Petroleum Distillates (Color Indicator). Appendix II, Report of Committee D-2, 276.

Proposed Method of Test for Bromine Number of Petroleum Distillates (Electrometric Method). Appendix III, Report of Committee D-2, 280.

Bronze.

See also **Copper**.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 159.

Effects of Certain Addition Agents Upon the Frictional and Wear Characteristics of Powder Metallurgy Bronzes—J. H. Derrick. Published in ASTM BULLETIN, No. 169, October, 1950, p. 46 (TP232).

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Appendix, Report of Committee B-5, 162.

Building Materials.

Exposure Test Wall for Natural Building Stones. Appendix, Report of Committee C-18, 229.

Fire Tests of Materials and Construction. Report of Committee E-5, 493.

Natural Building Stones. Report of Committee C-18, 226.

Structural Sandwich Constructions, Report of Committee C-19, 231.

Bursting Strength.

Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil—W. C. Aber and F. M. Howell. Appendix II, Report of Committee E-1, 425.

C**Cable.**

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 130.

Cadmium Coatings.

Field Test and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Calcination.

The Effect of Time and Temperature of Burning on the Properties of Quicklime Prepared From Calcite—J. A. Murray, H. C. Fischer, and D. W. Sabean, 1263. Discussion, 1278.

Calorized Coatings.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Cast Alloys.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Appendix, Report of Committee B-7, 175.

Cast Iron.

Cast Iron. Report of Committee A-3, 97.

Castings.

Investigation of Purity of Aluminum-Silicon Die Casting Alloys—Donald L. Colwell. Published in ASTM BULLETIN, No. 163, January, 1950, p. 51 (TP1).

Non-Destructive Testing. Report of Committee E-7, 495.

Cellulose.

Wood. Report of Committee D-7, 328.

Cement.

Asbestos-Cement Products. Report of Committee C-17, 225.

A Simple Field Test for Consistency of Concrete—J. W. Kelly and Norman E. Haavik.

Published in ASTM BULLETIN, No. 163, January, 1950, p. 70 (TP20); Discussion, No. 169, October, 1950, p. 51 (TP237). Cement. Report of Committee C-1, 192.

Long-Time Study of Cement Performance in Concrete Chapter 6—The Heats of Hydration of the Cements—George J. Verbeck and Cecil W. Foster, 1235.

Magnesium Oxychloride and Magnesium Oxysulfate Cements. Report of Committee C-2, 198.

Mechanically Determining the Time of Set of Portland Cement by Means of the Spissograph—O. J. Glantz and L. E. Halsted. Published in ASTM BULLETIN, No. 170, December, 1950, p. 79 (TP305).

Tests for Air-Entraining Agents in Cement and Concrete—G. W. Washa, C. H. Scholer, D. W. Lewis, and N. H. Withey. Published in ASTM BULLETIN, No. 163, January, 1950, p. 61 (TP11); Discussion, No. 168, September, 1950, p. 83 (TP211). The Optimum Gypsum Content of Portland Cement—H. S. Meissner. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Thermal Insulating Materials. Report of Committee C-16, 223.

Why Type II Cement?—F. H. Jackson, 1210. Discussion, 1225.

Ceramic Whitewares.

Ceramic Whitewares. Report of Committee C-21, 233.

Cerium.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service—K. Grube and L. W. Eastwood, 989. Discussion, 1011.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service—K. Grube, J. A. Davis, and L. W. Eastwood, 965. Discussion, 988.

Chain-Link Fence.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Charpy Impact Testing.

See Impact Testing.

Chemical Analysis.

Cement. Report of Committee C-1, 192.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513.

Emission Spectroscopy. Report of Committee E-2, 430.

Chemical Reactivity.

See Reactive Materials in Concrete.

Chromium.

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Chromium Plating.

Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft—H. L. Logan, 669. Discussion, 714.

Clay.

Clay Pipe. Report of Committee C-4, 200.

Coal.

Coal and Coke. Report of Committee D-5, 322.

Coatings.

See also Paint.

Fire-Resistant Finishes for Aircraft—J. A. Jones and R. V. Niswander. Published in ASTM BULLETIN, No. 166, May, 1950, p. 53 (TP115); Discussion, p. 59 (TP121).

Flow Calculations for Die Casting Applied to the A.S.T.M. Committee B-6 Test Casting Die—Edward Jacobi. Published in ASTM BULLETIN, No. 166, May, 1950, p. 65 (TP127).

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184); Discussion, p. 63 (TP191).

Laboratory Tests of Protective Coatings *versus* Service Results—W. T. Moran and G. E. Burnett. Published in ASTM BUL-

Coatings—continued.

LETIN, No. 165, April, 1950, p. 73 (TP99); Discussion, p. 77 (TP103).

Coke.

Coal and Coke. Report of Committee D-5, 322.

Color Testing.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum—Deane B. Judd, Lorenzo Plaza, and Marion A. Belknap. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

Colorimetry—A Panel Discussion. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Proposed Method of Test for Bromine Number of Petroleum Distillates (Color Indicator). Appendix II, Report of Committee D-2, 276.

Compression Testing.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates—N. Fried, R. R. Winans, and L. E. Sieffert, 1383.

Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Concrete.

A New Technique for Bond Measurement in Reinforced Concrete—J. Trueman Thompson and Alvin C. Loewer, Jr. Published in ASTM BULLETIN, No. 166, May, 1950, p. 69 (TP131); Discussion, No. 169, October, 1950, p. 53 (TP239).

A Simple Field Test for Consistency of Concrete—J. W. Kelly and Norman E. Haavik. Published in ASTM BULLETIN, No. 163, January, 1950, p. 70 (TP20); Discussion, No. 169, October, 1950, p. 50 (TP236).

Concrete and Concrete Aggregates. Report of Committee C-9, 209.

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete—Alexander Klein, David Pirtz, and Milos Polivka, 1283. Discussion, 1287.

Long-Time Study of Cement Performance in Concrete Chapter 6—The Heats of Hydration of the Cements—George J. Verbeck and Cecil W. Foster, 1235.

Manufactured Masonry Units. Report of Committee C-15, 221.

Method of Petrographic Examination of Aggregates for Concrete—Katharine Mather and Bryant Mather, 1288. Discussion, 1312.

Pulse Techniques Applied to Dynamic Testing—J. R. Leslie, 1314. Discussion, 1324.

Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Tests for Air-Entraining Agents in Cement and Concrete—G. W. Washa, C. H. Scholer, D. W. Lewis, and N. H. Withey. Published in ASTM BULLETIN, No. 163, January, 1950, p. 61 (TP11).

Conditioning.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.

Electrical Insulating Materials. Report of Committee D-9, 334.

Methods of Testing. Report of Committee E-1, 413.

Consistency.

Methods of Testing. Report of Committee E-1, 413.

Consolidation.

The Effect of Rock Content and Placement Density on Consolidation and Related Pore Pressure in Embankment Construction—Harold J. Gibbs, 1343. Discussion, 1361.

Consumer Goods.

Report of Administrative Committee on Ultimate Consumer Goods. Appendix V, Annual Report of the Board of Directors, 76.

Contact Metals.

Electrical-Heating, Resistance and Related Alloys. Report of Committee B-4, 139.

Containers.

Shipping Containers. Report of Committee D-10, 346.

Copper.

Chemical Analysis of Metals. Report of Committee E-3, 433.

- Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 159.
- Electrodeposited Metallic Coatings. Report of Committee B-8, 181.
- Fatigue. Report of Committee E-9, 497.
- Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.
- Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Appendix, Report of Committee B-5, 162.
- Survey of Fatigue Projects. Report of Survey Subcommittee, Committee E-9, 499.
- The Forming Characteristics of Beryllium Copper Strip—J. T. Richards and E. M. Smith, 1085. Discussion, 1100.
- The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing—D. S. Clark and D. S. Wood, 577. Discussion, 586.
- The Reverting of Hard-Drawn Copper to Soft Condition Under Variable Stress—John N. Kenyon, 1073. Discussion, 1082.
- Copper-Bearing Steel.**
See also **Steel**.
- Corrosion of Iron and Steel. Report of Committee A-5, 100.
- Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.
- Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.
- Inspection of Black and Galvanized Sheets. Report of Subcommittee XIV, Committee A-5, 104.
- Copper Wire.**
- Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 130.
- Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.
- Corrosion.**
See also **Weathering**.
- Corrosion of Iron and Steel. Report of Committee A-5, 100.
- Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.
- Die-Cast Metals and Alloys. Report of Committee B-6, 167.
- Electrodeposited Metallic Coatings. Report of Committee B-8, 181.
- Engine Antifreezes. Report of Committee D-15, 378.
- Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.
- Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.
- Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.
- Impact Deposition of Atmospheric Sea Salts on a Test Plate—Alfred H. Woodcock, 1151. Discussion, 1161.
- Inspection of Black and Galvanized Sheets. Report of Subcommittee XIV, Committee A-5, 104.
- Investigation of Purity of Aluminum-Silicon Die Casting Alloys—Donald L. Colwell. Published in *ASTM BULLETIN*, No. 163, January, 1950, p. 51 (TP1).
- Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys. Report of Committee A-10, 126.
- Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 173.
- Simulated Service Testing. Report of Subcommittee VI, Appendix, Report of Committee D-15, 383.
- Spray Testing With Natural and Synthetic Sea Water. Part I. Corrosion Characteristics in the Testing of Metals—Thomas P. May and Allen L. Alexander, 1131. Discussion, 1142.
- Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings—Allen L. Alexander and Thomas P. May, 1144. Discussion, 1150.
- Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.
- Total Immersion Tests. Final Report of Subcommittee V, Committee A-5, 103.

Corrosion-Resisting Steel.

See also **Alloy Steel; Corrosion.**

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels—V. N. Krivobok and A. M. Talbot, 895. Discussion, 929.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys. Report of Committee A-10, 126.

Cotton.

See also **Textile Materials.**

Textile Materials. Report of Committee D-13, 366.

The Dimensional Stability and Shrink-Proofing of Cotton Materials—Edward C. Pfeffer, Jr. Published in ASTM BULLETIN, No. 167, July, 1950, p. 86 (TP168).

Creep.

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O—Joseph Marin, J. H. Faupel, and L. W. Hu, 1054. Discussion, 1071.

Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F.—M. J. Manjoine, 931. Discussion, 949.

Hardened Alloy Steel for Service up to 700 F.—G. V. Smith, W. B. Seens and E. J. Dulis, 882. Discussion, 893.

Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate—W. J. Worley and W. N. Findley, 1399. Discussion, 1413.

Crystallization.

The Reverting of Hard-Drawn Copper to Soft Condition Under Variable Stress—John N. Kenyon, 1073. Discussion, 1082.

Cutting Technique.

A New Technique for Cutting Very Thin Sections and Its Application to the Electron Microscopy of Fibers—Sanford B. Newman. Published in ASTM BULLETIN, No. 163, January, 1950, p. 57 (TP7).

D**Damproofing.**

Testing Cement-Base Paint and Damproofer—W. M. Spurgeon. Published in ASTM BULLETIN, No. 171, January, 1951, p. 53 (TP15).

Data, Presentation of.

See **Statistical Analysis.**

Definitions.

Proposed Definitions and Specifications for Tractor Fuels. Appendix VII, Report of Committee D-2, 311.

Density Measurements.

Pilot Studies of Soil Density Measurements by Means of X-Rays—D. Berdan and R. K. Bernhard, 1328. Discussion, 1338.

Proposed Method of Test for Measurement of Density of Knock Test Standard Normal Heptane and *Iso*-octane by the Pycnometer. Appendix V, Report of Committee D-21, 289.

Diamond Products.

The Need for Standardization of Industrial Diamond Products—H. L. Strauss, Jr. Published in ASTM BULLETIN, No. 165, April, 1950, p. 57 (TP83).

Die Castings.

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Flow Calculations for Die Casting Applied to the A.S.T.M. Committee B-6 Test Casting Die—Edward Jacobi. Published in ASTM BULLETIN, No. 166, May, 1950, p. 65 (TP127).

Investigation of Purity of Aluminum-Silicon Die Casting Alloys—Donald L. Colwell. Published in ASTM BULLETIN, No. 163, January, 1950, p. 51 (TP1).

E**Dilatometric Analysis.**

Metallography. Report of Committee E-4, 440.

Diode Tubes.

Proposed Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes. Appendix, B-4 Report, 142.

Distillation Test.

Industrial Aromatic Hydrocarbons, Report of Committee D-16, 385.

Proposed Method of Test for Reduced Pressure Distillation of Petroleum Products. Appendix VII, Report of Committee D-2, 299.

District Activities.

Report of Administrative Committee on District Activities. Appendix VII, Annual Report of the Board of Directors, 79.

Dudley Medal.

Summary of Proceedings of the Fifty-third Annual Meeting, 7.

Dyeing.

Some Applications of Modern Microscopy to the Study of Chemical Phenomena and in the Dyeing and Printing of Textiles—G. L. Royer. Published in ASTM BULLETIN, No. 165, April, 1950, p. 46 (TP72); Discussion, No. 167, July, 1950, p. 73 (TP155).

Dynamic Testing.

Pulse Techniques Applied to Dynamic Testing—J. R. Leslie, 1314. Discussion, 1324. Some Instruments for Measuring the Dynamic Mechanical Properties of Plastic Materials—Lawrence E. Nielsen. Published in ASTM BULLETIN, No. 165, April, 1950, p. 48 (TP74).

Summary of Proceedings of the Symposium on Dynamic Stress Determinations, 1433. The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies—A. G. H. Dietz, P. J. Closmann, G. M. Kavanagh, and J. N. Rossen, 1414. Discussion, 1427.

Electrical Heating and Resistance Alloys.

Electrical-Heating, Resistance, and Related Alloys. Report of Committee B-4, 139.

Electrical Insulating Materials.

Electrical Insulating Materials. Report of Committee D-9, 334.

Plastics. Report of Committee D-20, 407.

Recommendations Affecting Standards for Electrical Insulating Materials. Appendix, Report of Committee D-9, 341.

Electrical Resistivity.

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits—E. A. Abdun-Nur and Dart Wantland, 1364. Discussion, 1379.

Electrodeposited Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 100.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Electrolytic Corrosion.

See also **Corrosion**.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.

Electrometric Method.

Proposed Method of Test for Bromine Number of Petroleum Distillates (Electrometric Method). Appendix III, Report of Committee D-2, 280.

Electron Microstructure.

Electron Microstructure of Steel. Report of Subcommittee XI, Report of Committee E-4, 444.

Electron Tubes.

Proposed Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes. Appendix, Report of Committee B-4, 142.

Embankment Construction.

The Effect of Rock Content and Placement Density on Consolidation and Related Pore Pressure in Embankment Construction—Harold J. Gibbs, 1343. Discussion, 1361.

Emission Spectroscopy.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513. Emission Spectroscopy. Report of Committee E-2, 430.

Enamel.

Porcelain Enamel. Report of Committee C-22, 235.

Engine Antifreeze.

Engine Antifreezes. Report of Committee D-15, 378.

Simulated Service Testing. Report of Subcommittee VI, Appendix, Report of Committee D-15, 383.

The Determination of Freezing Point of Engine Antifreeze—R. E. Mallonee and F. L. Howard. Published in ASTM BULLETIN, No. 172, February, 1951, p. 43 (TP57).

Erosion Resistance.

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184); Discussion, p. 63 (TP191).

Estron.

Textile Materials. Report of Committee D-13, 366.

Evaporation Rate.

Evaporation Rate of Hydrocarbons and Their Mixtures—L. S. Galstaun. Published in ASTM BULLETIN, No. 170, December, 1950, p. 60 (TP286); Discussion, p. 66 (TP292).

Explosion Test.

Direct Explosion Test to Evaluate Load-Carrying Capacity of Welded Steel Struc-

tures—G. S. Mikhlapov. Published in ASTM BULLETIN, No. 172, February, 1951, p. 53 (TP67).

F**Fabrics.**

See **Textile Materials.**

Fatigue Testing.

Discussions of a Century Ago Concerning the Nature of Fatigue, and Review of Some of the Subsequent Researches Concerning the Mechanism of Fatigue—R. E. Peterson. Published in ASTM BULLETIN, No. 164, February, 1950, p. 50 (TP62); Discussion, p. 54 (TP66).

Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft—H. L. Logan, 669. Discussion, 714.

Effects of Anodic Coatings on the Fatigue Strength of Aluminum Alloys—G. W. Stickley and F. M. Howell, 735. Discussion, 743.

Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel—L. P. Tarasov and H. J. Grover, 668. Discussion, 687.

Fatigue Characteristics of Aircraft Materials and Fastenings—T. E. Piper, K. F. Finlay, and A. P. Binsacca. Published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122).

Fatigue Notch-Sensitivities of Some Aircraft Materials—Horace J. Grover, 717. Discussion, 730.

Fatigue. Report of Committee E-9, 497. Report of Task Group on Effect of Speed of Testing on Fatigue Test Results. Appendix I, Report of Committee E-1, 421.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

Statistical Properties of Fatigue Data on 24S-T Aluminum Alloy—A. K. Head. Published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Survey of Fatigue Projects. Report of Survey Subcommittee, Committee E-9, 499. The Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Tem-

peratures—W. E. Jones, Jr., and G. B. Wilkes, Jr., 744. Discussion, 761.

The Fatigue Strength of Steel Through the Range From $\frac{1}{2}$ to 30,000 Cycles of Stress—M. H. Weisman and M. H. Kaplan, 649. Discussion, 666.

The Reverting of Hard-Drawn Copper to Soft Condition Under Variable Stress—John N. Kenyon, 1073. Discussion, 1082.

Felt.

Felt Tests and Specifications and Their Interpretation—R. R. Stevens. Published in ASTM BULLETIN, No. 164, February, 1950, p. 48 (TP60).

Fence.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Ferro Alloys.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Recommendations Affecting Standards on Ferro-Alloys. Appendix, Report of Committee A-9, 122.

Report of Committee A-9, 120.

Fibers.

A New Technique for Cutting Very Thin Sections and Its Application to the Electron Microscopy of Fibers—Sanford B. Newman. Published in ASTM BULLETIN, No. 163, January, 1950, p. 57 (TP7).

Modern Microscopy of Films and Fibers—F. F. Morehead. Published in ASTM BULLETIN, No. 163, January, 1950, p. 54 (TP4).

Textile Materials. Report of Committee D-13, 366.

Field Tests.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Films.

Modern Microscopy of Films and Fibers—F. F. Morehead. Published in ASTM BULLETIN, No. 163, January, 1950, p. 54 (TP4).

Finances.

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188. Report of the Auditors for the Fiscal Year, January 1 to December 31, 1949. Appendix I, Annual Report of the Board of Directors, 55.

Fire Tests.

Fire-Resistant Finishes for Aircraft—J. A. Jones and R. V. Niswander. Published in ASTM BULLETIN, No. 166, May, 1950, p. 53 (TP115); Discussion, p. 59 (TP121).

Fire Tests of Materials and Construction. Report of Committee E-5, 493.

Flexure Testing.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates—N. Fried, R. R. Winans, and L. E. Sieffert, 1383.

Flow Calculations.

Flow Calculations for Die Casting Applied to the A.S.T.M. Committee B-6 Test Casting Die—Edward Jacobi. Published in ASTM BULLETIN, No. 166, May 1950, p. 65 (TP127).

Foaming.

Proposed Method of Test for Foaming Properties of Surface Active Agents. Appendix II, D-12 Report, 363.

Foil Tests.

Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil—W. C. Aber and F. M. Howell. Appendix II, Report of Committee E-1, 425.

Formability.

The Forming Characteristics of Beryllium Copper Strip—J. T. Richards and E. M. Smith, 1085. Discussion, 1100.

Freezing-and-Thawing Tests.

Tests for Air-Entraining Agents in Cement and Concrete—G. W. Washa, C. H. Scholer, D. W. Lewis, and N. H. Withey. Published in ASTM BULLETIN, No. 163,

Freezing-and-Thawing Tests—continued.

January, 1950, p. 61 (TP11). Discussion, No. 168, September, 1950, p. 82 (TP210).

Freezing Point.

The Determination of Freezing Point of Engine Antifreeze—R. E. Mallonee and F. L. Howard. Published in ASTM BULLETIN, No. 172, February, 1951, p. 43 (TP57).

Frictional Characteristics.

Effects of Certain Addition Agents Upon the Frictional and Wear Characteristics of Powder Metallurgy Bronzes—J. H. Dedrick. Published in ASTM BULLETIN, No. 169, October, 1950, p. 46 (TP232).

Fuel Oil.

Proposed Method of Test for Hydrocarbon Type Analysis of Diesel Fuels by Silica Gel Adsorption. Appendix I, Report of Committee D-2, 271.

Fungus Growth.

Effect of Fungus Growth on the Tensile Strength of Polyvinyl Chloride Films Plasticized with Three Plasticizers—Sigmund Berk. Published in ASTM BULLETIN, No. 168, September, 1950, p. 53 (TP181).

G**Galvanic Corrosion.**

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.

Gaseous Fuels.

Gaseous Fuels. Report of Committee D-3, 312.

Gasoline.

Petroleum Products and Lubricants. Report of Committee D-2, 244.

Proposed Definition and Specifications for Tractor Fuels. Appendix VIII, Report of Committee D-2, 311.

Proposed Method of Test for Pour Stability Characteristics of Winter Grade Motor Oils. Appendix VI, Report of Committee D-2, 295.

X-ray Methods in the Analysis and Preparation of Leaded Gasoline—H. A. Liebhafsky and E. H. Winslow. Published in ASTM BULLETIN, No. 167, July, 1950, p. 67 (TP149); Discussion, p. 73 (TP155).

Gas Turbine Materials.

Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F.—M. J. Manjoine, 931. Discussion, 949.

Glass.

Approximating the Attractive Forces of Adhesion for Glass and Other Surfaces—Frank Moser. Published in ASTM BULLETIN, No. 169, October, 1950, p. 62 (TP248).

Glass and Glass Products. Report of Committee C-14, 219.

Textile Materials. Report of Committee D-13, 366.

Gloss.

The Measurement of 60-Degree Specular Gloss—H. K. Hammond, III and I. Nimeroff. Published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP240).

Glues.

See also **Adhesives**.

Adhesives. Report of Committee D-14, 375.

Grain Size.

Metallography. Report of Committee E-4, 440.

Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel—G. M. Sinclair and T. J. Dolan, 587. Discussion, 617.

Grease.

Petroleum Products and Lubricants. Report of Committee D-2, 244.

Grinding, Effects of.

Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel—L. P. Tarasov and H. J. Grover, 668. Discussion, 687.

Gypsum.

Gypsum. Report of Committee C-11, 214.
The Optimum Gypsum Content of Portland Cement—H. S. Meissner. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

H**Hardness Testing.**

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.
Methods of Testing. Report of Committee E-1, 413.
Rockwell C Hardness on Cylindrical Steel Specimens—Frank W. Hussey, 1176. Discussion, 1186.
Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel—G. M. Sinclair and T. J. Poran, 587. Discussion, 617.

Hardware.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Heats of Hydration.

Long-Time Study of Cement Performance in Concrete Chapter 6—The Heats of Hydration of the Cements—George J. Verbeck and Cecil W. Foster, 1235.

n-Heptane.

Proposed Method of Test for Measurement of Density of Knock Test Standard Normal Heptane and *Iso*octane by the Pycnometer. Appendix V, Report of Committee D-2, 289.

High Additive Oils.

Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

High-Pressure Service.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-

Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

High-Speed Motion Picture.

Study of Deformation at High Strain Rates Using High-Speed Motion Pictures—H. I. Fusfeld and Josephine Carr Feder. Published in ASTM BULLETIN, No. 170, December, 1950, p. 75 (TP301) Discussion, p. 79 (TP305).

High-Temperature Materials.

See also Refractories; Temperature, Effect of.

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service—L. W. Eastwood, Webster Hodge, and C. H. Lorig, 1013. Discussion, 1034.

Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F.—M. J. Manjoine, 931. Discussion, 949.

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188. The Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Temperatures—W. E. Jones, Jr., and G. B. Wilkes, Jr., 744. Discussion, 761.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service—K. Grube and L. W. Eastwood, 989. Discussion, 1011.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service—K. Grube, J. A. Davis, and L. W. Eastwood, 965. Discussion, 988.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Honorary Membership Awards.

Award of Honorary Membership. Summary of Proceedings, 5.

Humidity, Effect of.

See also **Conditioning.**

- Dimensional Stability of Woolen and Worsted Fabrics—Werner von Bergen and Claude S. Clutz. Published in ASTM BULLETIN, No. 167, July, 1950, p. 74 (TP156).
 Equipment for The Determination of Insulation Resistance at High Relative Humidities—A. T. Chapman. Published in ASTM BULLETIN, No. 165, April, 1950, p. 43 (TP69).

Hydrocarbons.

- Evaporation Rate of Hydrocarbons and Their Mixtures—L. S. Galstaun. Published in ASTM BULLETIN, No. 170, December, 1950, p. 60 (TP286).
 Industrial Aromatic Hydrocarbons. Report of Committee D-16, 385.
 Proposed Method of Test for Measurement of Refractive Index and Refractive Dispersion of Hydrocarbon Liquids. Appendix IV, Report of Committee D-2, 284.

Immersion Testing.

- Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.
 Total Immersion Tests. Final Report of Subcommittee V, Committee A-5, 103.

Impact Testing.

- Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.
 Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test—N. A. Kahn, E. A. Imbembo, and F. Ginsberg, 619. Discussion, 647.
 Hardened Alloy Steel for Service up to 700 F.—G. V. Smith, W. B. Seens, and E. J. Dulis, 882. Discussion, 893.
 The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing—D. S. Clark and D. S. Wood, 577. Discussion, 586.

Industrial Diamonds.

- The Need for Standardization of Industrial Diamond Products—H. L. Strauss, Jr. Published in ASTM BULLETIN, No. 165, April, 1950, p. 57 (TP83).

Industrial Water.

See **Water.**

- Water for Industrial Uses. Report of Committee D-19, 399.

Infrared Spectroscopy.

- Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513.

Insulating Materials.

See **Electrical Materials; Refractories; Thermal Insulating Materials.**

- A Proposed Method of Test for Specific Heat of Thermal Insulating Materials—Norman H. Spear. Published in ASTM BULLETIN, No. 168, September, 1950, p. 79 (TP207); Discussion, No. 173, April, 1951, p. 50 (TP104).

- Equipment for the Determination of Insulation Resistance at High Relative Humidities—A. T. Chapman. Published in ASTM BULLETIN, No. 165, April, 1950, p. 43 (TP69).

Iron.

See also **Wrought Iron.**

- Corrosion of Iron and Steel. Report of Committee A-5, 100.

Isooctane.

- Proposed Method of Test for Measurement of Density of Knock Test Standard Normal Heptane and Isooctane by the Pycnometer. Appendix V, Report of Committee D-2, 289.

Izod Impact.

See **Impact Testing.**

K**Kauri Reduction Test.**

- Proposed Modification of the Kauri Reduction Test. Published in ASTM BULLETIN, No. 163, January, 1950, p. 46.

L**Lacquer.**

- See also **Electrical Insulating Materials.**
 Evaluation of Rubbing Compounds for Use on Lacquered Aircraft Surfaces—R. A. Machlowitz. Published in ASTM BULLETIN, No. 170, December, 1950, p. 31 (TP257).

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237

Laminated Materials.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate—W. J. Worley and W. N. Findley, 1399. Discussion, 1413.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates—N. Fried, R. R. Winans, and L. E. Sieffert, 1383.

Electrical Insulating Materials. Report of Committee D-9, 334.

Structural Sandwich Constructions. Report of Committee C-19, 231.

Studies of the Strength of Glued Laminated Wood Construction—Alan D. Freas. Published in ASTM BULLETIN, No. 170, December, 1950, p. 48 (TP274); Discussion, No. 173, April, 1951, p. 58 (TP112).

Lead.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Light Metal.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Appendix, Report of Committee B-7, 175.

Lime.

Lime. Report of Committee C-7, 202.

Low-Temperature Testing.

See also **Temperature, Effect of.**

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels—V. N. Krivobok and A. M. Talbot, 895. Discussion, 929.

Engine Antifreezes Report of Committee D-15, 378.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

A Reduction-of-Area Gage for Use at Low Temperatures—G. W. Geil and N. L. Carwile. Published in ASTM BULLETIN, No. 163, January, 1950, p. 75 (TP25).

Lubricants.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum—Deane B. Judd, Lorenzo Plaza, and Marion A. Belknap. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

Compressor Lubrication—K. L. Hollister. Published in ASTM BULLETIN, No. 170, December, 1950, p. 35 (TP261).

Petroleum Products and Lubricants. Report of Committee D-2, 244.

Proposed Method of Test for Pour Stability Characteristics of Winter Grade Motor Oils. Appendix VI, Report of Committee D-2, 295.

Proposed Method of Test for Reduced Pressure Distillation of Petroleum Products. Appendix VII, Report of Committee D-2, 299.

Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Summary of Proceedings of the Symposium on Turbine Oils, 1429.

M

Magnesium.

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service—L. W. Eastwood, Webster Hodge, and C. H. Lorig, 1013. Discussion, 1034.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 173.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service—K. Grube and L. W. Eastwood, 989. Discussion, 1011.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service—K. Grube, J. A. Davis, and L. W. Eastwood, 965. Discussion, 988.

Magnesium—continued.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Appendix, Report of Committee B-7, 175.

Magnesium Oxychloride Cements.

Magnesium Oxychloride and Magnesium Oxsulfate Cements. Report of Committee C-2, 198.

Magnetic Testing.

Non-Destructive Testing. Report of Committee E-7, 495.

The Development of a Flaw Detector for Tubes—R. D. Kodis, 1196. Discussion, 1206.

Malleable Iron.

Malleable Iron Castings. Report of Committee A-7, 118.

Masonry Materials.

Manufactured Masonry Units. Report of Committee C-15, 221.

Some Properties of Reinforced Grouted Brick Masonry—Norman W. Kelch. Published in ASTM BULLETIN, No. 168, September, 1950, p. 67 (TP194); Discussion, p. 77 (TP205).

Membership.

Annual Report of the Board of Directors, 29.

Metal Cleaners.

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies—J. C. Harris, R. E. Kamp, and W. H. Yanko. Published in ASTM BULLETIN, No. 170, December, 1950, p. 82 (TP308).

Soaps and Other Detergents. Report of Committee D-12, 359.

Metal Powders.

Metal Powders and Metal Powder Products. Report of Committee B-9, 184.

Metalite.

Durability Tests of Metalite Sandwich Construction—David G. Reid. Published in ASTM BULLETIN, No. 164, February, 1950, p. 28 (TP40).

Metallic Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 100.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Metallography.

See also **Copper; Brass; Steel, etc.**

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Electron Microstructure of Steel. Report of Subcommittee XI, Committee E-4, 444. Metallography. Report of Committee E-4, 440.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel—G. M. Sinclair and T. J. Dolan, 587. Discussion, 617.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe—A. B. Wilder, W. B. Kennedy, and F. W. Crouch, 763. Discussion, 781.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Methods of Testing.

Methods of Testing. Report of Committee E-1, 413.

Mica.

Electrical Insulating Materials. Report of Committee D-9, 334.

Proposed Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes. Appendix, Report of Committee B-4, 142.

Microhardness.

Metallography. Report of Committee E-4, 440.

Microscopy.

A New Technique for Cutting Very Thin Sections and Its Application to the Elec-

tron Microscopy of Fibers—Sanford B. Newman. Published in ASTM BULLETIN, No. 163, January, 1950, p. 57 (TP7). Modern Microscopy of Films and Fibers—F. F. Morehead. Published in ASTM BULLETIN, No. 163, January, 1950, p. 54 (TP4).

Some Applications of Modern Microscopy to the Study of Chemical Phenomena and in the Dyeing and Printing of Textiles—G. L. Royer. Published in ASTM BULLETIN, No. 165, April, 1950, p. 46 (TP72); Discussion, No. 167, July, 1950, p. 73 (TP155).

Moisture Barriers.

Discussion of Paper on Electrical Method for Evaluation of Protective Coatings as Moisture Barriers. Published in ASTM BULLETIN, No. 166, May, 1950, p. 51 (TP113).

Mortars.

Lime. Report of Committee C-7, 202. Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Mullen Bursting Test.

Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil—W. C. Aber and F. M. Howell. Appendix II, Report of Committee E-1, 425.

N

Naval Stores.

Naval Stores. Report of Committee D-17, 388.

Proposed Alternate Method of Test for Unsaponifiable Matter in Rosin. Appendix, Report of Committee D-17, 391.

Nickel.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Nickel-Copper Alloys.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Nomenclature.

See Definitions.

Non-Destructive Testing.

See also Magnetic Testing; Radiographic Testing; and Ultrasonic Testing.

An Evaluation of Radiography with Particular Emphasis on Detection Methods—Carlton H. Hastings. Published in ASTM BULLETIN, No. 172, February, 1951, p. 66 (TP80).

Non-Destructive Testing. Report of Committee E-7, 495.

Summary of Proceedings of the Papers on Ultrasonic Testing, 1435.

Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

The Development of a Flaw Detector for Tubes—R. D. Kodis, 1196. Discussion, 1206.

Non-Ferrous Alloys.

See Alloys, Non-Ferrous.

Notch Effect.

Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test—N. A. Kahn, E. A. Imbembo, and F. Ginsberg, 619. Discussion, 647.

Fatigue Notch-Sensitivities of Some Aircraft Materials—Horace J. Grover, 717. Discussion, 730.

The Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Temperatures—W. E. Jones, Jr., and G. B. Wilkes, Jr., 744. Discussion, 761.

O

Oils.

See Lubricants; Petroleum Products; Transformer Oils; Turbine Lubricants.

Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Summary of Proceedings of the Symposium on Turbine Oils, 1429.

Organic Coatings.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings—Allen L. Alexander and Thomas P. May, 1144. Discussion, 1150.

Oxidation Corrosion.

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Oxychloride Cements.

Magnesium Oxychloride and Magnesium Oxy-sulfate Cements. Report of Committee C-2, 198.

P**Packaging.**

See **Shipping Containers.**

Paint.

Colorimetry—A Panel Discussion. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Correlation of Accelerated Weathering Machines—Roy W. Hill, George S. Cook, and William E. Moyer. Published in ASTM BULLETIN, No. 164, February, 1950, p. 32 (TP44).

Evaluation of Empirical Viscosity Measurements for Varnishes and Resin Solutions—Maynard R. Euverard. Published in ASTM BULLETIN, No. 169, October, 1950, p. 67 (TP253).

Methods of Evaluating Aircraft Primers—Edward T. Nelson. Published in ASTM BULLETIN, No. 167, July, 1950, p. 88 (TP170); Discussion, p. 90 (TP172). Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237.

Proposed Modification of the Kauri Reduction Test. Published in ASTM BULLETIN, No. 163, January, 1950, p. 46.

Testing Cement-Base Paints and Damp-proofers—W. M. Spurgeon. Published in ASTM BULLETIN, No. 171, January, 1951, p. 53 (TP15).

Paper.

Electrical Insulating Materials. Report of Committee D-9, 334.

Paper and Paper Products. Report of Committee D-6, 325.

Shipping Containers. Report of Committee D-10, 346.

Papers and Publications.

Report of Administrative Committee on Papers and Publications. Appendix IV, Annual Report of the Board of Directors, 72.

Particle Size.

Methods of Testing. Report of Committee E-1, 413.

Paving Materials.

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures—G. McFadden and W. C. Ricketts. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1).

Road and Paving Materials. Report of Committee D-4, 315.

Petrographic Examination.

Method of Petrographic Examination of Aggregates for Concrete—Katharine Mather and Bryant Mather, 1288. Discussion, 1312.

Petroleum Products.

Petroleum Products and Lubricants. Report of Committee D-2, 244.

Proposed Definition and Specifications for Tractor Fuels. Appendix VII, Report of Committee D-2, 311.

Proposed Method of Test for Bromine Number of Petroleum Distillates (Color Indicator). Appendix II, Report of Committee D-2, 276.

Proposed Method of Test for Bromine Number of Petroleum Distillates (Electrometric Method). Appendix III, Report of Committee D-2, 280.

Proposed Method of Test for Hydrocarbon Type Analysis of Diesel Fuels by Silica Gel Adsorption. Appendix I, Report of Committee D-2, 271.

Proposed Method of Test for Measurement of Density of Knock Test Standard Normal Heptane and Isooctane by the Pycnometer.

Appendix V, Report of Committee D-2, 289.

Proposed Method of Test for Measurement of Refractive Index and Refractive Dispersion of Hydrocarbon Liquids. Appendix IV, Committee D-2, 284.

Proposed Method of Test for Pour Stability Characteristics of Winter Grade Motor Oils. Appendix VI, Report of Committee D-2, 295.

Proposed Method of Test for Reduced Pressure Distillation of Petroleum Products. Appendix VII, Report of Committee D-2, 299.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum—Deane B. Judd, Lorenzo Plaza, and Marion A. Belknap. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

pH Value.

Methods of Testing. Report of Committee E-1, 413.

Proposed Method of Test for pH of Aqueous Solutions of Soaps and Detergents. Appendix I, Report of Committee D-2, 362.

Pharmaceutical Containers.

Glass and Glass Products. Report of Committee C-14, 219.

Photometric Methods.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Pigments.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237.

Pine Oil.

Naval Stores. Report of Committee D-17, 388.

Pipe.

Clay Pipe. Report of Committee C-4, 200.
Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe—A. B. Wilder, W. B. Kennedy, and F. W. Crouch, 763. Discussion, 781.

Pitch.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Plastic Deformation.

Chromium-Base Alloys—W. L. Havekotte, C. T. Greenidge, and H. C. Cross, 1101. Discussion, 1127.

Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Plastics.

Effect of Fungus Growth on the Tensile Strength of Polyvinyl Chloride Films Plasticized with Three Plasticizers—Sigmund Berk. Published in ASTM BULLETIN, No. 168, September, 1950, p. 53 (TP181).

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates—N. Fried, R. R. Winans, and L. E. Sieffert, 1383.

Electrical Insulating Materials. Report of Committee D-9, 334.

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184).

Outdoor Weather Aging of Plastics Under Various Climatological Conditions—S. F. Yustein, R. R. Winans, and H. J. Stark. Published in ASTM BULLETIN, No. 173, April, 1951, p. 31 (TP85); Discussion, p. 43 (TP97).

Plastics. Report of Committee D-20, 407.

Plastics Specifications in the Federal Government—Gerald Reinsmith. Published in ASTM BULLETIN, No. 163, January, 1950, p. 78 (TP28).

Recommendations Affecting Standards on Plastics. Appendix, Report of Committee D-20, 411.

Resistance of Representative Plastic Materials to Hydrofluoric Acid—Frank W. Reinhart and Harry C. Williams, Jr. Published in ASTM BULLETIN, No. 167, July, 1950, p. 60 (TP142).

Some Instruments for Measuring the Dynamic Mechanical Properties of Plastic

Plastics—continued.

Materials—Lawrence E. Nielson. Published in ASTM BULLETIN, No. 165, April, 1950, p. 48 (TP74).

Stress Cracking of Polyethylene—R. H. Carey. Published in ASTM BULLETIN, No. 167, July, 1950, p. 56 (TP138); Discussion, No. 171, January, 1951, p. 62 (TP24). Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate—W. J. Worley and W. N. Findley, 1399. Discussion, 1413.

The Use of Electrical Measurements to Predict the Mechanical Properties of Plasticized Polyvinyl Resins—A. J. Warner. Published in ASTM BULLETIN, No. 165, April, 1950, p. 53 (TP79).

Plywood.

Wood. Report of Committee D-7, 328.

Polyethylene.

Stress Cracking of Polyethylene—R. H. Carey. Published in ASTM BULLETIN, No. 167, July, 1950, p. 56 (TP138); Discussion, No. 171, January, 1951, p. 62 (TP24).

Porcelain Enamel.

Porcelain Enamel. Report of Committee C-22, 235.

Pore Pressure.

The Effect of Rock Content and Placement Density on Consolidation and Related Pore Pressure in Embankment Construction—Harold J. Gibbs, 1343. Discussion, 1361.

Pour Stability.

Proposed Method of Test for Pour Stability Characteristics of Winter Grade Motor Oils. Appendix VI, Report of Committee D-2, 295.

Powder Metallurgy.

Effects of Certain Addition Agents Upon the Frictional and Wear Characteristics of

Powder Metallurgy Bronzes—J. H. Derrick. Published in ASTM BULLETIN, No. 169, October, 1950, p. 46 (TP232).

Pozzolanic Materials.

Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

President's Address.

Annual Address by the President—James G. Morrow 26. Also published in ASTM BULLETIN, No. 167, July, 1950, p. 55 (TP137).

Pressure Vessels.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg and R. D. Wylie, 809. Joint Discussion, 858.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Printing Textiles.

Some Applications of Modern Microscopy to the Study of Chemical Phenomena and in the Dyeing and Printing of Textiles—G. L. Royer. Published in ASTM BULLETIN, No. 165, April, 1950, p. 46 (TP72); Discussion, No. 167, July, 1950, p. 73 (TP155).

Pulp.

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp—H. W. Greider, R. A. MacArthur, and L. C. Gischig. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Pycnometer.

Proposed Method of Test for Measurement of Density of Knock Test Standard Normal Heptane and Isooctane by the Pycnometer. Appendix V, Report of Committee D-2, 289.

Q**Quality Control.**

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures—G. McFadden and W. C. Ricketts. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1).

Mixing and Sampling with Special Reference to Multi-Sized Granular Material—David Buslik. Published in ASTM BULLETIN, No. 165, April, 1950, p. 66 (TP92).

Quality Control of Materials. Report of Committee E-11, 509.

Statistical Properties of Fatigue Data on 24S - T Aluminum Alloy—A. K. Head. Published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Summary of Proceedings of the Symposium on Application of Statistics, 1432.

The Design and Interpretation of Interlaboratory Test Programs—Grant Wernimont. Published in ASTM BULLETIN, No. 166, May, 1950, p. 45 (TP107).

Quicklime.

Lime. Report of Committee C-7, 202.
The Effect of Time and Temperature of Burning on the Properties of Quicklime Prepared From Calcite—J. A. Murray, H. C. Fischer, and D. W. Sabean, 1263. Discussion, 1278.

R**Radio Tube Materials.**

Electrical-Heating, Resistance, and Related Alloys. Report of Committee B-4, 139.
Proposed Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes. Appendix, Report of Committee B-4, 142.

Radioactive Tracers.

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies—J. C. Harris, R. E. Kamp, and W. H. Yanko. Published in ASTM BULLETIN, No. 170, December, 1950, p. 82 (TP308).

Radiography.

An Evaluation of Radiography with Particular Emphasis on Detection Methods—Carlton

H. Hastings. Published in ASTM BULLETIN, No. 172, February, 1951, p. 66 (TP80).

Pilot Studies of Soil Density Measurements by Means of X-Rays—D. Berdan and R. K. Bernhard, 1328. Discussion, 1338. Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

X-ray Methods in the Analysis and Preparation of Leaded Gasoline—H. A. Liebhafsky and E. H. Winslow. Published in ASTM BULLETIN, No. 167, July, 1950, p. 67 (TP149); Discussion, p. 73 (TP155).

Radome Materials.

Preliminary Considerations for Testing Sandwich Radome Materials—G. R. Huisman and R. H. Wight. Published in ASTM BULLETIN, No. 164, February, 1950, p. 19 (TP31).

Rain Erosion.

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes—Jack K. Grace and George C. Frey. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184).

Rate of Loading.

See Speed of Testing.

Rayon.

Modern Microscopy of Films and Fibers—F. F. Morehead. Published in ASTM BULLETIN, No. 163, January, 1950, p. 54 (TP4).

Shrinkage Control of Viscose Rayon Fabrics—J. A. Woodruff. Published in ASTM BULLETIN, No. 167, July, 1950, p. 83 (TP165).

Textile Materials. Report of Committee D-13, 366.

Reduction-of-Area Gage.

A Reduction-of-Area Gage for Use at Low Temperatures—G. W. Geil and N. L. Carwile. Published in ASTM BULLETIN, No. 163, January, 1950, p. 75 (TP25).

Refractive Index.

Proposed Method of Test for Measurement of Refractive Index and Refractive Dispersion of Hydrocarbon Liquids. Appendix IV, Report of Committee D-2, 284.

Refractories.

Proposed Method of Test for Disintegration of Fireclay Refractories in an Atmosphere of Carbon Monoxide. Appendix, Report of Committee C-8, 207.

Refractories. Report of Committee C-8, 203.

Reinforced Brick.

Some Properties of Reinforced Grouted Brick Masonry—Norman W. Kelch. Published in ASTM BULLETIN, No. 168, September, 1950, p. 67 (TP195); Discussion, p. 77 (TP205).

Reinforced Concrete.

A New Technique for Bond Measurement in Reinforced Concrete—J. Trueman Thompson and Alvin C. Loewer, Jr. Published in ASTM BULLETIN, No. 166, May, 1950, p. 69 (TP131); Discussion No. 169, October, 1950, p. 53 (TP239).

Research.

Discussions of a Century Ago Concerning the Nature of Fatigue, and Review of Some of the Subsequent Researches Concerning the Mechanism of Fatigue—R. E. Peterson. Published in ASTM BULLETIN, No. 164, February, 1950, p. 50 (TP62); Discussion, p. 54 (TP66).

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188. Report of Administrative Committee on Research. Appendix III, Annual Report of the Board of Directors, 71.

Resins.

Evaluation of Empirical Viscosity Measurements for Varnishes and Resin Solutions—Maynard R. Euverard. Published in ASTM BULLETIN, No. 169, October, 1950, p. 67 (TP253).

Naval Stores. Report of Committee D-17, 388.

Proposed Alternate Method of Test for Unsaponifiable Matter in Rosin. Appendix, Report of Committee D-17, 391.

The Use of Electrical Measurements to Predict the Mechanical Properties of Plasticized Polyvinyl Resins—A. J. Warner. Published in ASTM BULLETIN, No. 165, April, 1950, p. 53 (TP79).

Road Materials.

See also Aggregates; Brick; Cement; Concrete; Soils.

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures—G. McFadden and W. C. Ricketts. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1).

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits—E. A. Abdun-Nur and Dart Wantland, 1364. Discussion, 1379.

Road and Paving Materials. Report of Committee D-4, 315.

Soils for Engineering Purposes. Report of Committee D-18, 393.

Roofing Materials.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Rosin.

See Resins.

Rubber.

Approximating the Attractive Forces of Adhesion for Glass and Other Surfaces—Frank Moser. Published in ASTM BULLETIN, No. 169, October, 1950, p. 62 (TP248).

Rubber and Rubber-Like Materials, Report of Committee D-11, 349.

S**Salt Spray Tests.**

See Corrosion.

Sampling.

Quality Control of Materials. Report of Committee E-11, 509.

Sandwich Construction.

Durability Tests of Metalite Sandwich Constructions—David G. Reid. Published in ASTM BULLETIN, No. 164, February, 1950, p. 28 (TP40).

Preliminary Considerations for Testing Sandwich Radome Materials—G. R. Huisman and R. H. Wight. Published in ASTM BULLETIN, No. 164, February, 1950, p. 19 (TP31).

Structural Sandwich Constructions. Report of Committee C-19, 231.

Testing of Sandwich Constructions at the Forest Products Laboratory—Edward W. Kuenzi. Published in ASTM BULLETIN, No. 164, February, 1950, p. 21 (TP33).

Screening Tests.

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp—H. W. Greider, R. A. MacArthur, and L. C. Gischig. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Sea Salt.

Impact Deposition of Atmospheric Sea Salts on a Test Plate—Alfred H. Woodcock, 1151. Discussion, 1161.

Sea Water.

Spray Testing With Natural and Synthetic Sea Water. Part I. Corrosion Characteristics in the Testing of Metals—Thomas P. May and Allen L. Alexander, 1131. Discussion, 1142.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings—Allen L. Alexander and Thomas P. May, 1144. Discussion, 1150.

Service Testing.

See **Simulated Service Testing.**

Setting Time.

Mechanically Determining the Time of Set of Portland Cement by Means of the Spissograph—O. J. Glantz and L. E. Halsted. Published in ASTM BULLETIN, No. 170, December, 1950, p. 79 (TP305).

Shear Testing.

Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Shellac.

Electrical Insulating Materials. Report of Committee D-9, 341.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237.

Sherardized Coatings.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Shingles.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Shipping Containers.

Shipping Containers. Report of Committee D-10, 346.

Shives.

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp—H. W. Greider, R. A. MacArthur, and L. C. Gischig. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Shrinkage.

Dimensional Stability of Woolen and Worsted Fabrics—Werner von Bergen and Claude S. Clutz. Published in ASTM BULLETIN, No. 167, July, 1950, p. 74 (TP156).

Shrinkage Control of Viscose Rayon Fabrics—J. A. Woodruff. Published in ASTM BULLETIN, No. 167, July, 1950, p. 83 (TP165).

The Dimensional Stability and Shrink-Proofing of Cotton Materials—Edward C. Pfeffer, Jr. Published in ASTM BULLETIN, No. 167, July, 1950, p. 86 (TP168).

Sigma Phase.

Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Silica Gel Adsorption.

Proposed Method of Test for Hydrocarbon Type Analysis of Diesel Fuels by Silica Gel Adsorption. Appendix I, Report of Committee D-2, 271.

Simulated Service Testing.

Report of Administrative Committee on Simulated Service Testing. Appendix VI, Annual Report of the Board of Directors, 78.

Simulated and Actual Service Testing of Engine Antifreezes. Report of Subcommittee VI, Committee D-15, 383.

Soaps and Detergents.

Proposed Method of Test for Foaming Properties of Surface-Active Agents. Appendix II, Report of Committee D-12, 363.

Proposed Method of Test for pH of Aqueous Solutions of Soaps and Detergents. Appendix I, Report of Committee D-12, 362.

Soaps and Other Detergents. Report of Committee D-12, 359.

Soils.

A Universal Loading Machine for Engineering Tests on Soils—B. K. Hough. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 44 (TP270).

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits—E. A. Abdun-Nur and Dart Wantland, 1364. Discussion, 1379.

Pilot Studies of Soil Density Measurements by Means of X-rays—D. Berdan and R. K. Bernhard, 1328. Discussion, 1338.

Soils for Engineering Purposes. Report of Committee D-18, 393.

Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

The Effect of Rock Content and Placement Density on Consolidation and Related Pore Pressure in Embankment Construction—Harold J. Gibbs, 1343. Discussion, 1361.

Solder.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 135.

Sonic Testing.

Pulse Techniques Applied to Dynamic Testing—J. R. Leslie, 1314. Discussion 1324.

Sound-Proofing.

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 57 (TP243).

Spectroscopy.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513. Emission Spectroscopy. Report of Committee E-2, 430.

Speed of Testing.

Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F.—M. J. Manjoine, 931. Discussion, 949. Methods of Testing. Report of Committee E-1, 413.

Report of Task Group on Effect of Speed of Testing on Fatigue Test Results. Appendix I, Report of Committee E-1, 421.

Study of Deformation at High Strain Rates Using High-Speed Motion Pictures—H. I. Fusfeld and Josephine Carr Feder. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 75 (TP301).

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

The Influence of Strain Rate on Some Tensile Properties of Steel—D. S. Clark and P. E. Duwez, 560. Discussion, 576.

Spissograph.

Mechanically Determining the Time of Set of Portland Cement by Means of the Spissograph—O. J. Glantz and L. E. Halsted. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 79 (TP305).

Spray Testing.

Spray Testing With Natural and Synthetic Sea Water. Part I. Corrosion Characteristics in the Testing of Metals—Thomas P. May and Allen L. Alexander, 1131. Discussion, 1142.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings—Allen L. Alexander and Thomas P. May, 1144. Discussion, 1150.

Stainless Steel.

See **Corrosion-Resisting Steel.**

Standards and Standardization.

Plastics Specifications in the Federal Government—Gerald Reinsmith. Published in ASTM BULLETIN, No. 163, January, 1950, p. 78 (TP28).

Report of Administrative Committee on Standards. Appendix II, Annual Report of the Board of Directors, 67.

Summary of Proceedings of the Fifty-third Annual Meeting, 1.

The Need for Standardization of Industrial Diamond Products—H. L. Strauss, Jr. Published in ASTM BULLETIN, No. 165, April, 1950, p. 57 (TP83).

Statistical Analysis.

Mixing and Sampling with Special Reference to Multi-Sized Granular Material—David Buslik. Published in ASTM BULLETIN, No. 165, April, 1950, p. 66 (TP92).

Quality Control of Materials. Report of Committee E-11, 509.

Statistical Properties of Fatigue Data on 24S-T Aluminum Alloy—A. K. Head. Published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Summary of Proceedings of the Symposium on Applications of Statistics, 1432.

The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation—J. M. Cameron and W. J. Youden, 951. Discussion, 961.

Steel.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Corrosion of Iron and Steel. Report of Committee A-5, 100.

Direct Explosion Test to Evaluate Load-Carrying Capacity of Welded Steel Structures—G. S. Mikhalapov. Published in ASTM BULLETIN, No. 172, February, 1951, p. 53 (TP67).

Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft—H. L. Logan, 699. Discussion, 714.

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188.

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels—V. N. Krivobok and A. M. Talbot, 895. Discussion, 929.

Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test—N. A. Kahn, E. A. Imbembo, and F. Ginsberg, 619. Discussion, 647. Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel—L. P. Tarasov and H. J. Grover, 668. Discussion, 687.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Electron Microstructure. Report of Subcommittee XI, Committee E-4, 444.

Exposure Test Wall for Natural Building Stones. Appendix, Report of Committee C-18, 229.

Fatigue-Notch Sensitivities of Some Aircraft Materials—H. J. Grover, 717. Discussion, 730.

Fatigue. Report of Committee E-9, 497. Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Hardened Alloy Steel for Service up to 700 F.—G. V. Smith, W. B. Seens, and E. J. Dulis, 882. Discussion, 893.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Inspection of Black and Galvanized Sheets. Report of Subcommittee XIV, Committee A-5, 104.

Steel—continued.

- Iron-Chromium, Iron-Chromium-Nickel, and Related Alloys. Report of Committee A-10, 126.
- Metallography. Report of Committee E-4, 440.
- Recommendations Affecting Standards for Steel. Appendix, Report of Committee A-1, 90.
- Reproducibility of Results of Tension Tests on Specimens Prepared From Cast Steel Coupons—H. A. Schwartz and W. K. Bock, 1167.
- Rockwell C Hardness on Cylindrical Steel Specimens—Frank W. Hussey, 1176. Discussion, 1186.
- Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.
- Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel—G. M. Sinclair and T. J. Dolan, 587. Discussion, 617.
- Spray Testing With Natural and Synthetic Sea Water. Part I. Corrosion Characteristics in the Testing of Metals—Thomas P. May and Allen L. Alexander, 1131. Discussion, 1142.
- Steel. Report of Committee A-1, 81.
- Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.
- Survey of Fatigue Projects. Report of Survey Subcommittee, Committee E-9, 499.
- The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing—D. S. Clark and D. S. Wood, 577. Discussion, 586.
- The Influence of Strain Rate on Some Tensile Properties of Steel—D. S. Clark and P. E. Duwez, 560. Discussion, 576.
- The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation—J. M. Cameron and W. J. Youden, 951. Discussion, 961.
- The Fatigue Strength of Steel Through the Range From $\frac{1}{2}$ to 30,000 Cycles of Stress—M. H. Weisman and M. H. Kaplan, 649. Discussion, 666.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe—A. B. Wilder, W. B. Kennedy, and F. W. Crouch, 763. Discussion, 781.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Stone.

See also **Aggregates**.

Natural Building Stones. Report of Committee C-18, 226.

Stress Analysis.

Stress Cracking of Polyethylene—R. H. Carey. Published in **ASTM BULLETIN**, No. 167, July, 1950, p. 56 (TP138); Discussion, No. 171, January, 1951, p. 62 (TP24).

Stress-Rupture Tests.

The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation—J. M. Cameron and W. J. Youden, 951. Discussion, 961.

Structural Units.

Structural Sandwich Constructions. Report of Committee C-19, 231.

Summary of Proceedings.

Summary of Proceedings of the Fifty-third Annual Meeting, 1.

Surface Finishing.

Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel—L. P. Tarasov and H. J. Grover, 668. Discussion, 687.

Surface Treatment.

Results on Testing Surface Waterproofings—F. O. Anderegg. Published in **ASTM BULLETIN**, No. 171, January, 1951, p. 48 (TP10).

Synthetic Rubber.

Rubber and Rubber-Like Materials. Report of Committee D-11, 349.

Synthetic Sea Water.

Spray Testing With Natural and Synthetic Sea Water. Part I. Corrosion Characteristics in the Testing of Metals—Thomas P. May and Allen L. Alexander, 1131. Discussion, 1142.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings—Allen L. Alexander and Thomas P. May, 1144. Discussion, 1150.

T**Tall Oil.**

Naval Stores. Report of Committee D-17, 388

Tar.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Temperature, Effect of.

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service—L. W. Eastwood, Webster Hodge, and C. H. Lorig, 1013. Discussion, 1034.

A Proposed Method of Test for Specific Heat of Thermal Insulating Materials—Norman H. Spear. Published in ASTM BULLETIN, No. 168, September, 1950, p. 79 (TP207); Discussion, No. 173, April, 1951, p. 50 (TP104).

A Reduction-of-Area Gage for Use at Low Temperatures—G. W. Geil and N. L. Carwile. Published in ASTM BULLETIN, No. 163, January, 1950, p. 75 (TP25).

Effect of Temperature on the Properties of Metals. Report of Joint Committee, 188.

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels—V. N. Krivobok and A. M. Talbot, 895. Discussion, 929.

Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F.—M. J. Manjoine, 931. Discussion, 949.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates—N. Fried, R. R. Winans, and L. E. Sieffert, 1383.

Electrical-Heating, Resistance, and Related Alloys. Report of Committee B-4, 139.

Hardened Alloy Steel for Service up to 700 F.—G. V. Smith, W. B. Seens, and E. J. Dulis, 882. Discussion, 893.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service—K. Grube and L. W. Eastwood, 989. Discussion, 1011.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service—K. Grube, J. A. Davis, and L. W. Eastwood, 965. Discussion, 988.

Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate—W. J. Worley and W. N. Findley, 1399. Discussion, 1413.

The Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Temperatures—W. E. Jones, Jr., and G. B. Wilkes, Jr., 744. Discussion, 761.

The Measurement of 60-Degree Specular Gloss—H. K. Hammond, III and I. Nimeroff. Published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP240).

Templin Award.

Richard L. Templin Award. Summary of Proceedings of the Fifty-third Annual Meeting, 7.

Tension Testing.

A Method For Making Tension Tests of Metals Using a Miniature Specimen—R. L. Templin and W. C. Aber, 1188. Discussion, 1195.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O—Joseph Marin, J. H. Faupel, and L. W. Hu, 1054. Discussion, 1071.

Effect of Fungus Growth on the Tensile Strength of Polyvinyl Chloride Films Plasticized with Three Plasticizers—Sigmund Berk. Published in ASTM BULLETIN, No. 168, September, 1950, p. 53 (TP181).

Tension Testing—continued.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil—W. C. Aber and F. M. Howell. Appendix II, Report of Committee E-1, 425.

Reproducibility of Results of Tension Tests on Specimens Prepared From Cast Steel Coupons—H. A. Schwartz and W. K. Bock, 1167.

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading—Richard F. Klinger, 1035. Discussion, 1051.

The Forming Characteristics of Beryllium Copper Strip—J. T. Richards and E. M. Smith, 1085. Discussion, 1100.

The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing—D. S. Clark and D. S. Wood, 577. Discussion, 586.

The Influence of Strain Rate on Some Tensile Properties of Steel—D. S. Clark and P. E. Duwez, 560. Discussion, 576.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies—A. G. H. Dietz, P. J. Closmann, G. M. Kavanagh, and J. N. Rossen, 1414. Discussion, 1427.

Testing, Speed of.

See **Speed of Testing.**

Test Specimens.

Comparative Tests in a Single Laboratory—W. J. Youden. Published in ASTM BULLETIN, No. 166, May, 1950, p. 48 (TP110).

The Design and Interpretation of Interlaboratory Test Programs—Grant Wernimont. Published in ASTM BULLETIN, No. 166, May, 1950, p. 45 (TP107).

Testing Apparatus.

Methods of Testing. Report of Committee E-1, 413.

The Exposure Test Wall for Building Stores. Appendix, Report of Committee C-18, 229.

Tetraethyllead

X-ray Methods in the Analysis and Preparation of Leaded Gasoline—H. A. Liebhafsky and E. H. Winslow. Published in ASTM BULLETIN, No. 167, July, 1950, p. 67 (TP149); Discussion, p. 73 (TP155).

Textiles.

A New Technique for Cutting Very Thin Sections and Its Application to the Electron Microscopy of Fibers—Sanford B. Newman. Published in ASTM BULLETIN, No. 163, January, 1950 p. 57 (TP7).

Dimensional Stability of Woolen and Worsted Fabrics—Werner von Bergen and Claude S. Clutz. Published in ASTM BULLETIN, No. 167, July, 1950 p. 74 (TP156).

Felt Tests and Specifications and Their Interpretation—R. R. Stevens. Published in ASTM BULLETIN, No. 164, February, 1950, p. 48 (TP60).

Modern Microscopy of Films and Fibers—F. F. Morehead. Published in ASTM BULLETIN, No. 163, January, 1950, p. 54 (TP4).

Recommendations Affecting Standards for Textile Materials. Appendix, Report of Committee D-13, 370.

Shrinkage Control of Viscose Rayon Fabrics—J. A. Woodruff. Published in ASTM BULLETIN, No. 167, July, 1950, p. 83 (TP165).

Some Applications of Modern Microscopy to the Study of Chemical Phenomena and in the Dyeing and Printing of Textiles—G. L. Royer. Published in ASTM BULLETIN, No. 165, April, 1950, p. 46 (TP72); Discussion, No. 167, July, 1950, p. 73 (TP155).

Textile Materials. Report of Committee D-13, 366.

The Dimensional Stability and Shrink-Proofing of Cotton Materials—Edward C. Pfeffer, Jr. Published in ASTM BULLETIN, No. 167, July, 1950, p. 86 (TP168).

Thermal Conductivity.

Automatic Control of Thermal Conductivity Apparatus—E. M. Herrmann, W. P. Sinclair, and R. B. Plate. Published in ASTM BULLETIN, No. 170, December, 1950, p. 69 (TP295).

Thermal Insulation.

A Proposed Method of Test for Specific Heat of Thermal Insulating Materials—Norman

H. Spear. Published in **ASTM BULLETIN**, No. 168, September, 1950, p. 79 (TP207); Discussion, No. 173, April, 1951, p. 50 (TP104). Thermal Insulating Materials. Report of Committee C-16, 223.

Thermionic Emission.

Proposed Method of Test for Relative Thermionic Emissive Properties of Materials Used in Electron Tubes. Appendix, Report of Committee B-4, 142.

Thermometers.

Methods of Testing. Report of Committee E-1, 413.

Thermostat Metals.

Electrical-Heating, Resistance and Related Alloys. Report of Committee B-4, 139.

Tile.

Evaluation of Adhesives for Acoustical Tile—Frank W. Reinhart, Beatrice D. Loos, and N. J. DeLollis. Published in **ASTM BULLETIN**, No. 169, October, 1950, p. 57 (TP243).

Manufactured Masonry Units. Report of Committee C-15, 221.

Timber.

See **Wood**.

Tin.

Chemical Analysis of Metals. Report of Committee E-3, 433.

Toluene.

Industrial Aromatic Hydrocarbons. Report of Committee D-16, 385.

Torsion Testing.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O—Joseph Marin, J. H. Faupel, and L. W. Hu, 1054. Discussion, 1071.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Tour Award.

Sam Tour Award. Summary of Proceedings of the Fifty-third Annual Meeting, 7.

Tracer Technique.

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies—J. C. Harris, R. E. Kamp, and W. H. Yanko. Published in **ASTM BULLETIN**, No. 170, December, 1950, p. 82 (TP308).

Tractor Fuel.

Proposed Definition and Specifications for Tractor Fuels. Appendix VIII, Report of Committee D-2, 311.

Traffic Paint.

See **Paint**.

Transformer Oil.

Electrical Insulating Materials. Report of Committee D-9, 334.

Triaxial Testing.

Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Tubes.

See also **Diode Tubes, Radio Tube Materials**.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Turbine Material.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg and R. D. Wylie, 809. Joint Discussion, 858.

Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Turbine Oils.

Summary of Proceedings of the Symposium on Turbine Oils, 1429.

U**Ultimate Consumer Goods.**

Report of Administrative Committee on Ultimate Consumer Goods. Appendix V, Annual Report of the Board of Directors, 76.

Ultrasonic Testing.

Non-Destructive Testing. Report of Committee E-7, 495.

Pulse Techniques Applied to Dynamic Testing—J. R. Leslie, 1314. Discussion, 1324.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies—A. G. H. Dietz, P. J. Closmann, G. M. Kavanagh, and J. N. Rossen, 1414. Discussion, 1427.

Summary of Proceedings of the Papers on Ultrasonic Testing, 1435.

Union Colorimeter Scale.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum—Deane B. Judd, Lorenzo Plaza, and Marion A. Belknap. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

Unsaponifiable Matter.

Proposed Alternate Method of Test for Unsaponifiable Matter in Rosin. Appendix, Report of Committee D-17, 391.

V**Vacuum Tube.**

See Diode Tubes.

Valve Burning.

A Laboratory Study of Intake Valve Burning—Court L. Wolfe and R. S. Spindt. Published in ASTM BULLETIN, No. 164, February, 1950, p. 43 (TP55).

Varnishes.

Evaluation of Empirical Viscosity Measurements for Varnishes and Resin Solutions—Maynard R. Euverard. Published in ASTM BULLETIN, No. 169, October, 1950, p. 67 (TP253).

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237.

Viscosity.

Evaluation of Empirical Viscosity Measurements for Varnishes and Resin Solutions—Maynard R. Euverard. Published in ASTM BULLETIN, No. 169, October, 1950, p. 67 (TP253).

Visible Spectroscopy.

Chemical Spectroscopy. Twenty-fourth Edgar Marburg Lecture—Wallace R. Brode, 513.

W**Water.**

Boiler Feedwater Studies. Report of Joint Research Committee, 406.

Industrial Water and Water-Borne Industrial Waste—Max Hecht. Published in ASTM BULLETIN, No. 168, September, 1950, p. 31.

Water for Industrial Uses. Report of Committee D-19, 399.

Waterproofing.

Bituminous Waterproofing and Roofing Materials. Report of Committee D-8, 331.

Results on Testing Surface Waterproofings—F. O. Anderegg. Published in ASTM BULLETIN, No. 171, January 1951, p. 48 (TP10).

Testing Cement-Base Paints and Damp-proofers—W. M. Spurgeon. Published in ASTM BULLETIN, No. 171, January, 1951, p. 53 (TP15).

Wax Polishes.

Report of Administrative Committee on Standards. Appendix II, Annual Report of the Board of Directors, 67.

Wear Test.

Effects of Certain Addition Agents Upon the Frictional and Wear Characteristics of Powder Metallurgy Bronzes—J. H. Derrick. Published in ASTM BULLETIN, No. 169, October, 1950, p. 46 (TP232).

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures—N. A. Ziegler and P. H. Brace, 861. Discussion, 880.

Weathering.

See also Corrosion.

Correlation of Accelerated Weathering Machines—Roy W. Hill, George S. Cook, and William E. Moyer. Published in ASTM

BULLETIN, No. 164, February, 1950, p. 32 (TP44).

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 137.

Durability Tests of Metalite Sandwich Construction—David G. Reid. Published in ASTM BULLETIN, No. 164, February, 1950, p. 28 (TP40).

Exposure Test Wall for Natural Building Stones. Appendix, Report of Committee C-18, 229.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Impact Deposition of Atmospheric Sea Salts on a Test Plate—Alfred H. Woodcock, 1151. Discussion, 1154.

Inspection of Black and Galvanized Sheets. Report of Subcommittee XIV, Committee A-5, 104.

Investigation of Bearing Materials Under Various Degrees of Lubrication in the Low-Speed Range—Louis A. Nowell, Jr. Published in ASTM BULLETIN, No. 168, September, 1950, p. 47 (TP175).

Laboratory Tests of Protective Coatings versus Service Results—W. T. Moran and G. E. Burnett. Published in ASTM BULLETIN, No. 165, April, 1950, p. 73 (TP99); Discussion, p. 77 (TP103).

Outdoor Weather Aging of Plastics Under Various Climatological Conditions—S. E. Yustein, R. R. Winans, and H. J. Stark. Published in ASTM BULLETIN, No. 173, April, 1951, p. 31 (TP85); Discussion, p. 43 (TP97).

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 237.

Results on Testing Surface Waterproofings—F. O. Anderegg. Published in ASTM BULLETIN, No. 171, January, 1951, p. 48 (TP10).

Welding.

Direct Explosion Test to Evaluate Load-Carrying Capacity of Welded Steel Structures—G. S. Mikhalapov. Published in ASTM BULLETIN, No. 172, February, 1951, p. 53 (TP67).

Non-Destructive Testing. Report of Committee E-7, 495.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service—O. R. Carpenter, N. C. Jessen, J. L. Oberg, and R. D. Wylie, 809. Joint Discussion, 858.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe—A. B. Wilder, W. B. Kennedy, and F. W. Crouch, 763. Discussion, 781.

Welds Between Dissimilar Alloys in Full-Size Steam Piping—R. U. Blaser, F. Eberle, and J. T. Tucker, Jr., 789. Joint Discussion, 858.

Whitewares.

Ceramic Whitewares. Report of Committee C-21, 233.

Wire.

See also Steel.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 130. Electrical-Heating, Resistance, and Related Alloys. Report of Committee B-4, 139.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

The Reverting of Hard-Drawn Copper to Soft Condition Under Variable Stress—John N. Kenyon, 1073. Discussion, 1082.

Wood.

Fire Tests of Materials and Construction. Report of Committee E-5, 493.

Mechanical Properties of Second-Growth Redwood and Comparison with Virgin Timber—Emanuel Fritz. Published in ASTM BULLETIN, No. 169, October, 1950, p. 30 (TB216).

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp—H. W. Greider, R. A. MacArthur, and L. C. Gischig. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Strength and Related Properties of Old-Growth Douglas-Fir Infected with Fomes Pini—J. R. Stillinger. Published in ASTM BULLETIN, No. 173, April, 1951, p. 52 (TP106).

Wood—continued.

Studies of the Strength of Glued Laminated Wood Construction—Alan D. Freas. Published in ASTM BULLETIN, No. 170, December, 1950, p. 48 (TP274); Discussion, No. 173, April, 1951, p. 58 (TP112).

Testing of Sandwich Constructions at the Forest Products Laboratory—Edward W. Kuenzi. Published in ASTM BULLETIN, No. 164, February, 1950, p. 21 (TP33).

The Physical and Mechanical Properties of Second-Growth Douglas Fir—J. B. Alexander. Published in ASTM BULLETIN, No. 169, October, 1950, p. 33 (TP219).

Wood. Report of Committee D-7, 328.

Wool.

Dimensional Stability of Woolen and Worsted Fabrics—Werner von Bergen and Claude S. Clutz. Published in ASTM BULLETIN, No. 167, July, 1950, p. 74 (TP156).

Textile Materials. Report of Committee D-13, 366.

X**X-ray.**

See **Radiography**.

Xylene.

Industrial Aromatic Hydrocarbons. Report of Committee D-16, 385.

Z**Zinc.**

Die-Cast Metals and Alloys. Report of Committee B-6, 167.

Electrodeposited Metallic Coatings. Report of Committee B-8, 181.

Zinc Coatings.

Corrosion of Iron and Steel. Report of Committee A-5, 100.

Field Tests and Inspections of Bare and Metallic Coated Hardware, Structural Shapes, Plates, Bars, and Their Products. Report of Subcommittee XVI, Committee A-5, 114.

Field Tests of Wire and Wire Products. Report of Subcommittee XV, Committee A-5, 110.

Inspection of Black and Galvanized Sheets. Report of Subcommittee XIV, Committee A-5, 104.

AUTHOR INDEX

VOLUME 50

A

Abdun-Nur, E. A.

A Standard Classification of Soils as Proposed by the Bureau of Reclamation—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits, 1364. Discussion, 1380.

Aber, W. C.

A Method for Making Tension Tests of Metals Using a Miniature Specimen, 1188. Discussion, 1195.

The Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil, 425.

Abercrombie, W. F.

Discussion of the Classification of Highway Subgrade Materials Initiated by the Highway Research Board—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

Abrams, Duff A.

Discussion, published in ASTM BULLETIN, No. 169, October, 1950, p. 53 (TP239).

Air Materiel Command.

Discussions, published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122); No. 167, July, 1950, p. 91 (TP173).

Alexander, Allen L.

Spray Testing With Natural and Synthetic Sea Water. Part I.—Corrosion Characteristics in the Testing of Metals, 1131.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings, 1144. Discussion, 1150.

Alexander, J. B.

The Physical and Mechanical Properties of Second-Growth Douglas Fir. Published in ASTM BULLETIN, No. 169, October, 1950, p. 33 (TP219).

Almen, J. O.

Discussion, 687.

Amtsberg, H. C.

Discussion, 961.

Introduction—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Anderegg, F. O.

Results on Testing Surface Waterproofings. Published in ASTM BULLETIN, No. 171, January, 1951, p. 48 (TP10). Discussion, p. 52 (TP14).

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 56 (TP18).

Arthur, M. A.

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 52 (TP114).

Azbe, Victor J.

Discussion, 1278.

B

Baen, Spencer R.

X-ray Study of the Sigma Phase in Various Alloy Systems—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Ball, L. W.

Management's Responsibility for Insistence on Non-Destructive Testing in the Development of New Engineering Products and Processes—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Barber, E. S.

Application of Triaxial Compression Test Results to Highway Soils Problems—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Bassett, W. B.

Does Service Performance Justify Higher Quality Lubricating Oils?—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Batchelder, A. H.

Introduction—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Beers, Roland F.

Discussion, 1379.

Belknap, Marion A.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

Berdan, D.

Pilot Studies of Soil Density Measurements by Means of X-rays, 1328. Discussion, 1339.

Berk, Sigmund

Effect of Fungus Growth on the Tensile Strength of Polyvinyl Chloride Films Plasticized with Three Plasticizers. Published in ASTM BULLETIN, No. 168, September, 1950, p. 53 (TP181).

Bernhard, R. K.

Pilot Studies of Soil Density Measurements by Means of X-rays, 1328. Discussion, 1339.

Binder, W. O.

Some Notes on the Structure and Impact Resistance of Columbium-Bearing 18-8 Steels After Exposure to Elevated Temperatures—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Binder, William

Discussion, 880.

Binsacca, A. P.

Fatigue Characteristics of Aircraft Materials and Fastenings. Published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122).

Blanks, R. F.

Discussion, 1232.

Blaser, R. U.

Welds Between Dissimilar Alloys in Full-Size Steam Piping, 789. Joint Discussion, 860.

Bloom, D. S.

Sigma Phase in Chromium-Molybdenum Alloys with Iron or Nickel—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Bock, W. K.

Reproducibility of Results of Tension Tests on Specimens Prepared From Cast Steel Coupons, 1167.

Boehm, A. B.

High Detergency Motor Oils—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Brace, P. H.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures, 861. Discussion, 881.

Brink, E. G.

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 52 (TP114).

Bröde, Wallace R.

Chemical Spectroscopy—Twenty-fourth Marburg Lecture, 513.

Brown, E. H.

Strength, Volume Change and Sulfate Resistance of Mortars Containing Portland-Pozzolan Cements—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials In Mortars and Concretes, 1327.

Burmister, Donald M.

Identification and Classification of Soils—An Appraisal and Statement of Principles—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

The Importance of Natural Controlling Conditions Upon Triaxial Compression Test Conditions—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Burnett, G. E.

Laboratory Tests of Protective Coatings *versus* Service Results. Published in ASTM BULLETIN, No. 165, April, 1950, p. 73 (TP99). Discussion, p. 80 (TP106).

Buslik, David

Mixing and Sampling with Special Reference to Multi-Sized Granular Material. Published in ASTM BULLETIN, No. 165, April, 1950, p. 66 (TP92).

C**Callan, Edwin J.**

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 50 (TP104).

Cameron, J. M.

The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation, 951. Discussion, 963.

Use of Statistics to Determine Precision of Test Methods—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

Carey, R. H.

Stress Cracking of Polyethylene. Published in ASTM BULLETIN, No. 167, July, 1950, p. 56 (TP138). Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 62 (TP24).

Carlson, A. C.

Discussion, published in ASTM BULLETIN No. 166, May, 1950, p. 64 (TP126).

Carpenter, O. R.

Discussion, 781.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service, 809. Joint Discussion, 860.

Carroll, J. V.

The Application of Ultrasonics to the Fabrication of Aluminum—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Carter, Seymour W.

Inspection, Processing, and Manufacturing Control of Metals by Ultrasonic Methods—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Carwile, N. L.

A Reduction-of-Area Gage for Use at Low Temperatures. Published in ASTM BULLETIN, No. 163, January, 1950, p. 75 (TP25).

Cassidy, Perry R.

Discussion, 781.

Caughey, R. H.

Discussion, 929.

Cavanagh, P. E.

Discussion, published in ASTM BULLETIN, No. 170, December, 1950, p. 79 (TP305).

Chapman, A. T.

Equipment for the Determination of Insulation Resistance at High Relative Humidities. Published in ASTM BULLETIN, No. 165, April, 1950 p. 43 (TP69).

Cheremisinoff, P. N.

Discussion, published in ASTM BULLETIN, No. 167, July, 1950, p. 73 (TP155).

Chittick, M. B.

Discussion, published in ASTM BULLETIN, No. 170, December, 1950, p. 67 (TP293).

Clark, D. S.

The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing, 577. Discussion, 586.

The Influence of Strain Rate on Some Tensile Properties of Steel, 560. Discussion, 576.

Discussion, 1051.

Closmann, P. J.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies, 1414. See also Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Clutz, Claude S.

Dimensional Stability of Woolen and Worsted Fabrics. Published in ASTM BULLETIN No. 167, July, 1950, p. 74 (TP156).

Collier, Simon

Introduction to Motion Picture Modern Quality Control—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

Colwell, Donald L.

Investigation of Purity of Aluminum-Silicon Die Casting Alloys. Published in ASTM BULLETIN, No. 163, January, 1950, p. 51 (TP1).

Cook, George S.

Correlation of Accelerated Weathering Machines. Published in ASTM BULLETIN, No. 164, February, 1950, p. 32 (TP44).

Cook, H. K.

The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Copson, H. R.

Discussion, 1161.

Corey, D. H.

Discussion, 787.

Cross, H. C.

Chromium-Base Alloys, 1101.

The Use of Creep Data in Design—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Crouch, F. W.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe, 763. Discussion, 781.

D**Davis, H. E.**

Discussion, 1324.

Some Concepts Concerning Triaxial Compression Testing of Asphaltic Paving Mixtures and Subgrade Materials—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Davis, J. A.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service, 965.

Davis, R. E.

Discussion, 1230.

Effect of the Use of Diatomite Treated with

Air-Entraining Agents Upon the Properties of Concrete—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Pozzolanic Materials and Their Use in Concrete—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Strength, Volume Change and Sulfate Resistance of Mortars Containing Portland-Pozzolan Cements—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Dedrick, J. H.

Effects of Certain Addition Agents Upon the Frictional and Wear Characteristics of Powder Metallurgy Bronzes. Published in ASTM BULLETIN, No. 169, October, 1950, p. 46 (TP232).

DeLollis, N. J.

Evaluation of Adhesives for Acoustical Tile. Published in ASTM BULLETIN, No. 169, October, 1950, p. 57 (TP243).

Diemer, R. B.

Discussion, published in ASTM BULLETIN, No. 165, April, 1950, p. 77 (TP103).

Dietz, A. G. H.

Discussion, 1052.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies, 1414. See also Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Dolan, T. J.

Discussion, 576, 1082, 1186.

Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel, 587. Discussion, 618.

Dorn, John E.

Introduction—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Downing, V. F.

Discussion, 1413.

Dubpernell, George

Discussion, 714.

Dulis, E. J.

Hardened Alloy Steel for Service up to 700 F., 882. Discussion, 894.

Identification and Mode of Formation and Re-Solution of Sigma Phase in Austenitic Chromium-Nickel Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Dunn, E. J., Jr.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Duwez, P. E.

The Influence of Strain Rate on Some Tensile Properties of Steel, 560. Discussion, 576.

X-ray Study of the Sigma Phase in Various Alloy Systems—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

E**Eastwood, L. W.**

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service, 1013. Discussion, 1034.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service, 989. Discussion, 1012.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service, 965. Discussion, 988.

Eberhart, H. D.

Introduction—Summary of Proceedings of the Symposium on Dynamic Stress Determinations, 1433.

Eberle, F.

Discussion, 781.

Welds Between Dissimilar Alloys in Full-Size Steam Piping, 789. Joint Discussion, 860.

Edgar, J. A.

Five Years' Experience With Special Heavy-Duty Oils—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Ellis, W. C.

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 51 (TP113).

Emmanuel, G. N.

Sigma Phase and Other Effects of Prolonged Heating at Elevated Temperatures on 25 per cent Chromium-20 per cent Nickel Steel—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Endersby, V. A.

History and Theory of Triaxial Testing and the Preparation of Realistic Test Specimens—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Erikson, G. L.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 42 (TP268).

Estcourt, V. F.

Operating Experience and Problems Relative to Lubricating Systems of Steam Turbine Sets for Utilities—Summary of Proceedings of the Symposium on Turbine Oils, 1429.

Euverard, Maynard R.

Evaluation of Empirical Viscosity Measurements for Varnishes and Resin Solutions. Published in ASTM BULLETIN, No. 169, October, 1950, p. 67 (TP253).

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 43 (TP269).

Evans, C. T., Jr.

Coal Ash Corrosion of Metals at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Introduction—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Oil Ash Corrosion of Materials at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Discussion, 893.

F**Faupel, J. H.**

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O, 1054. Discussion, 1072.

Feder, Josephine C.

Study of Deformation at High Strain Rates Using High-Speed Motion Pictures. Published in ASTM BULLETIN, No. 170, December, 1950, p. 75 (TP301).

Felt, Earl J.

Soil Series Names as a Basis for Interpretive Soil Classifications for Engineering Purposes—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

Findley, W. N.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate, 1399. Discussion, 1413.

Finlay, K. F.

Fatigue Characteristics of Aircraft Materials and Fastenings. Published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122).

Fischer, H. C.

The Effect of Time and Temperature of Burning on the Properties of Quicklime Prepared From Calcite, 1263. Discussion, 1281.

Fitzgerald, R. C.

Discussion, 784.

Fleischmann, Martin

Discussion, 761.

Foley, Francis B.

Introduction—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Forgeng, W. D.

Discussion, 1128.

Foster, Cecil W.

Long-Time Study of Cement Performance in Concrete Chapter 6—The Heats of Hydration of the Cements, 1235.

Freas, A. D.

Studies of the Strength of Glued Laminated Wood Construction. Published in ASTM BULLETIN, No. 170, December, 1950, p. 48 (TP274). Discussion, No. 173, April, 1951, p. 58 (TP112).

Freeman, J. W.

Discussion, 893.

Super Creep-Resistant Alloys—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Frey, D. N.

Super Creep-Resistant Alloys—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Frey, George C.

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184). Discussion, p. 66 (TP184).

Fried, N.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates, 1383.

Fritz, Emanuel

Mechanical Properties of Second-Growth Redwood and Comparison with Virgin Timber. Published in ASTM BULLETIN, No. 169, October, 1950, p. 30 (TP216).

Fusfeld, Herbert I.

Study of Deformation at High Strain Rates Using High-Speed Motion Pictures. Published in ASTM BULLETIN, No. 170, December, 1950, p. 75 (TP301). Discussion, p. 79 (TP305).

G**Galstaun, L. S.**

Evaporation Rate of Hydrocarbons and Their Mixtures. Published in ASTM BULLETIN, No. 170, December, 1950, p. 60 (TP286). Discussion, p. 69 (TP295).

Garrett, G. H.

Discussion, published in ASTM BULLETIN, No. 165, April, 1950, p. 78 (TP104).

Gearhart, W. M.

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 43 (TP97).

Geil, G. W.

A Reduction-of-Area Gage for Use at Low Temperatures. Published in ASTM BULLETIN, No. 163, January, 1950, p. 75 (TP25).

Gibbs, Harold J.

The Effect of Rock Content and Placement Density on Consolidation and Related Pore Pressure in Embankment Construction, 1343. Discussion, 1362.

Gilliland, J. L.

Summary of Methods for Determining Pozzolanic Activity—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Ginsberg, F.

Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test, 619. Discussion, 647.

Gischig, L. C.

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Glantz, O. J.

Effect of Calcination on Natural Pozzolans—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Mechanically Determining the Time of Set of Portland Cement by Means of the Spissograph. Published in ASTM BULLETIN, No. 170, December, 1950, p. 79 (TP-305).

Gohn, G. R.

Discussion, 715, 1082.

Gold, Louis

Ultrasonic Wave Propagation in Materials: A Guide to Theoretical Results—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Gonnerman, H. F.

Discussion, 1227.
The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Gordon, S. A.

Discussion, 692, 1051, 1195.

Grace, Jack K.

Laboratory Testing of the Rain Erosion Resistance of Aircraft Finishes. Published in ASTM BULLETIN, No. 168, September, 1950, p. 56 (TP184). Discussion, p. 66 (TP194).

Grant, Eugene L.

The Economic Relationship Between Design and Acceptance Specifications—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

Grant, N. J.

Sigma Phase in Chromium-Molybdenum Alloys with Iron or Nickel—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Granville, Walter C.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Greenidge, C. T.

Chromium-Base Alloys, 1101. Discussion, 1128.

Gregg, L. E.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 45 (TP7).
Discussion, 1380.

Greider, H. W.

Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).

Grover, H. J.

Discussion, 666.
Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel, 668. Discussion, 694.
Fatigue Notch-Sensitivities of Some Aircraft Materials, 717. Discussion, 733.

Grube, K.

Magnesium-Cerium Cast Alloys for Elevated-Temperature Service, 989.

Magnesium-Cerium Wrought Alloys for Elevated-Temperature Service, 965.

H**Haavik, Norman E.**

A Simple Field Test for Consistency of Concrete. Published in ASTM BULLETIN, No. 163, January, 1950, p. 70 (TP20). Discussion, published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Hall, E. B.

A Triaxial Apparatus for Testing Large Soils Specimens—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Hall, E. D.

Ultrasonic Testing in Railroad Work—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Halsted, L. E.

Mechanically Determining the Time of Set of Portland Cement by Means of the Spissograph. Published in ASTM BULLETIN, No. 170, December, 1950, p. 79 (TP305).

Hammond, H. K., III.

The Measurement of 60-Degree Specular Gloss. Published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP240).

Hank, R. J.

Triaxial Testing, Adapted to Soils, Flexible Base, and Foundations—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Hanna, W. C.

Discussion, 1229.

Strength, Volume Change and Sulfate Resistance of Mortars Containing Portland-Pozzolan Cements—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Hansen, W. C.

The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Harris, J. C.

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies. Published in ASTM BULLETIN, No. 170, December, 1950, p. 82 (TP308).

Harrison, W. N.

The Growing Role of Protective Coatings for Metals in High-Temperature Service—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Hartley, James C.

Ultrasonics in the Heavy Forging Industry—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Hastings, Carlton H.

An Evaluation of Radiography with Particular Emphasis on Detection Methods. Published in ASTM BULLETIN, No. 172, February, 1951, p. 66 (TP80).

Inspection, Processing, and Manufacturing Control of Metals by Ultrasonic Methods—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Havekotte, W. L.

Chromium-Base Alloys, 1101. Discussion, 1129.

Head, A. K.

Statistical Properties of Fatigue Data on 24S-T Aluminum Alloy. Published in ASTM BULLETIN, No. 169, October, 1950, p. 51 (TP237).

Hecht, Max

Industrial Water and Water-Borne Industrial Waste. Published in ASTM BULLETIN, No. 168, September, 1950, p. 31.

Heger, J. J.

The Formation of the Sigma Phase in 17 per cent Chromium Steel—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Hennes, R. G.

Discussion, 1361.

Herrmann, E. M.

Automatic Control of Thermal Conductivity Apparatus. Published in ASTM BULLETIN, No. 170, December, 1950, p. 69 (TP295).

Hess, R. E.

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 43 (TP97).

Hill, Roy W.

Correlation of Accelerated Weathering Machines. Published in ASTM BULLETIN, No. 164, February, 1950, p. 32 (TP44).

Hodge, J. M.

Discussion, 617.

Hodge, Webster

Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service, 1013.

Hollinger, E. R.

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 59 (TP121).

Hollister, K. L.

Compressor Lubrication. Published in ASTM BULLETIN, No. 170, December, 1950, p. 35 (TP261).

Holtz, W. G.

Discussion, 1362.

Introduction—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Hopkins, C. Y.

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 53 (TP115).

Hosticka, H. E.

Some Examples of Dynamic Testing in the Field of Materials and Structures—Summary of Proceedings of the Symposium on Dynamic Stress Determinations, 1433.

Hough, B. K.

Development of a Universal Loading Machine for Engineering Tests on Soils. Published in ASTM BULLETIN, No. 170, December, 1950, p. 44 (TP270).

Howard, E. L.

Discussion, published in ASTM BULLETIN, No. 169, October, 1950, p. 50 (TP236).

Howard, F. L.

The Determination of Freezing Point of Engine Antifreeze. Published in ASTM BULLETIN, No. 172, February, 1951, p. 43 (TP-57).

Howell, F. M.

Effects of Anodic Coatings on the Fatigue Strength of Aluminum Alloys, 735. Discussion, 743.

The Mullen Bursting Strength Test as a Means of Determining the Strength of Annealed Aluminum Foil, 425.

Howell, John

Discussion, 782.

Hu, L. W.

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O, 1054. Discussion, 1072.

Huisman, G. R.

Preliminary Considerations for Testing Sandwich Radome Materials. Published in ASTM BULLETIN, No. 164, February, 1950, p. 19 (TP31).

Hulings, C. F.

Discussion, 782.

Hunter, Richard S.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Hussey, Frank W.

Rockwell C Hardness on Cylindrical Steel Specimens, 1176. Discussion, 1187.

Hveem, F. N.

Some Concepts Concerning Triaxial Compression Testing of Asphaltic Paving Mixtures and Subgrade Materials—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Imbembo, E. A.

Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test, 619. Discussion, 647.

J**Jackson, F. H.**

Why Type II Cement?, 1210. Discussion, 1232.

Jackson, J. H.

The Occurrence of the Sigma Phase and Its Effect on Certain Properties of Cast Fe-Ni-Cr Alloys—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Jackson, L. R.

Discussion, 666, 714.

The Experimental Exploration of Plastic Flow in Sheet Metals—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

The Use of Creep Data in Design—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Jackson, M. W.

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 58 (TP112).

Jacobi, Edward

Flow Calculations for Die Casting Applied to the A.S.T.M. Committee B-6 Test Casting Die. Published in ASTM BULLETIN, No. 166, May, 1950, p. 65 (TP127).

Jacobsen, A. E.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 39 (TP265).

Jameyson, B.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 46 (TP8).

Jeffrey, R. E., Jr.

Five Years' Experience With Special Heavy-Duty Oils—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Jessen, N. C.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service, 809.

Joesting, H. R.

Discussion, 1379.

Johnson, S. J.

Shear Testing at the Waterways Experimental Stations—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Jones, Frederick S.

Lubrication of Marine Turbine Propulsion Equipment—Summary of Proceedings of the Symposium on Turbine Oils, 1429.

Jones, J. A.

Fire-Resistant Finishes for Aircraft. Published in ASTM BULLETIN, No. 166, May, 1950, p. 53 (TP115). Discussion, 60 (TP-122).

Jones, W. E., Jr.

Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Temperatures, 744. Discussion, 762.

Judd, Deane B.

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum. Published in ASTM BULLETIN, No. 167, July, 1950, p. 63 (TP145).

Juppenlatz, John W.

The Rôle of Non-Destructive Testing in the Economics of Castings—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

K**Kahn, N. A.**

Effect of Variations in Notch Acuity on the Behavior of Steel in the Charpy Notched-Bar Test, 619. Discussion, 647.

Kamp, R. E.

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies. Published in ASTM BULLETIN, No. 170, December, 1950, p. 82 (TP308).

Kanter, Jerome J.

Discussion, 788.

Kaplan, M. H.

The Fatigue Strength of Steel Through the Range From $\frac{1}{2}$ to 30,000 Cycles of Stress, 649. Discussion, 667.

Kavanagh, G. M.

The Measurement of Dynamic Modules in Adhesive Joints at Ultrasonic Frequencies,

1414. See also Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Kelch, Norman W.

Some Properties of Reinforced Grouted Brick Masonry. Published in *ASTM BULLETIN*, No. 168, September, 1950, p. 67 (TP195). Discussion, p. 77 (TP205).

Kelly, J. W.

A Simple Field Test for Consistency of Concrete. Published in *ASTM BULLETIN*, No. 163, January, 1950, p. 70 (TP20). Discussion, published in *ASTM BULLETIN*, No. 169, October, 1950, p. 51 (TP237).

Kelman, D. M.

Ultrasonics in the Electrical Industry—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Kennedy, W. B.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe, 763. Discussion, 781.

Kenyon, John N.

The Reverting of Hard-Drawn Copper to Soft Condition Under Variable Stress, 1073. Discussion, 1082.

Klein, Alexander

Effect of the Use of Diatomite Treated With Air-Entrainment Agents Upon the Properties of Concrete—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327. Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete, 1283.

Klein, N. L.

Possible Future Military Engine Oils for Ground Equipment—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Klinger, Richard F.

Tensile Properties of Some Aircraft Structural Materials at Various Rates of Loading, 1035. Discussion, 1054.

Klute, C. H.

Discussion, published in *ASTM BULLETIN*, No. 170, December, 1950, p. 67 (TP293).

Kodis, R. D.

The Development of a Flaw Detector for Tubes, 1196. Discussion, 1206.

Kosting, Peter R.

Discussion, 617.

Krivobok, V. N.

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels, 895. Discussion, 930.

Kuenzi, Edward W.

Testing of Sandwich Constructions at the Forest Products Laboratory. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 21 (TP33).

L**Lane, J. R.**

Discussion, 949.

Landgraf, F. K.

Hydrogenizing Effect of Steam on Ferrous Alloys at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Landis, R. G.

Discussion, published in *ASTM BULLETIN*, No. 165, April, 1950, p. 79 (TP105).

Lankford, W. T.

The Experimental Exploration of Plastic Flow in Sheet Metals—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

La Que, F. L.

Discussion, 1142, 1150, 1165.

Lech, W. C.

Studies of Some Methods of Avoiding Expansion and Pattern Cracking Associated with the Alkali-Aggregate Reaction—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Leslie, J. R.

Pulse Techniques Applied to Dynamic Testing, 1314. Discussion, 1324. See also Sum-

- mary of Proceedings of the Symposium on Ultrasonic Testing, 1435.
- Lessells, John M.**
- Discussion, 1071, 1082.
- Lester, H. H.**
- Introduction—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.
- Lewis, D. W.**
- Tests for Air-Entraining Agents in Cement and Concrete. Published in ASTM BULLETIN, No. 163, January, 1950, p. 61 (TP11).
- Liebhafsky, H. A.**
- X-ray Methods in the Analysis and Preparation of Leaded Gasoline. Published in ASTM BULLETIN, No. 167, July, 1950, p. 67 (TP149).
- Linn, F. C.**
- Introduction—Summary of Proceedings of the Symposium on Turbine Oils, 1429.
- Lubrication Problems and Requirements of Gas Turbine Equipment—Summary of Proceedings of the Symposium on Turbine Oils, 1429.
- Litchev, R. R.**
- Discussion, 1326.
- Loewer, Alvin C., Jr.**
- A New Technique for Bond Measurement in Reinforced Concrete. Published in ASTM BULLETIN, No. 166, May, 1950, p. 69 (TP131). Discussion, published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP240).
- Logan, Hugh L.**
- Effect of Chromium Plating on the Endurance Limit of Steels Used in Aircraft, 699. Discussion, 715.
- Long, John K.**
- Discussion, published in ASTM BULLETIN, No. 168, September, 1950, p. 65 (TP193).
- Loos, Beatrice D.**
- Evaluation of Adhesives for Acoustical Tile. Published in ASTM BULLETIN, No. 169, October, 1950, p. 57 (TP243).
- Lorig, C. H.**
- Aluminum-6 Per Cent Magnesium Alloys for Elevated-Temperature Service, 1013.
- Low, S.**
- Sigma Phase in Several Cast Austenitic Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.
- Lysaght, V. E.**
- Discussion, 1187.
- M**
- MacArthur, R. A.**
- Rotary Screen for Laboratory Separation of Shives from Mechanically Prepared Wood Pulp. Published in ASTM BULLETIN, No. 169, October, 1950, p. 27 (TP213).
- Machlowitz, R. A.**
- Evaluation of Rubbing Compounds for Use on Lacquered Aircraft Surfaces. Published in ASTM BULLETIN, No. 170, December, 1950, p. 31 (TP257).
- Mackintosh, Albyn**
- Discussion, published in ASTM BULLETIN, No. 168, September, 1950, p. 77 (TP205).
- Malcolm, V. T.**
- Sigma Phase in Several Cast Austenitic Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.
- Mallonee, R. E.**
- The Determination of Freezing Point of Engine Antifreeze. Published in ASTM BULLETIN, No. 172, February, 1951, p. 43 (TP57).
- Malloy, A. M.**
- Discussion published in ASTM BULLETIN No. 167, July, 1950, p. 92 (TP174).
- Discussion, published in ASTM BULLETIN, No. 168, September, 1950, p. 63 (TP191).
- Manjotine, M. J.**
- Discussion, 1071.
- Effect of Rate of Strain on the Flow Stress of Gas Turbine Alloys at 1200 and 1500 F., 931. Discussion, 949.

Mardulier, F. J.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 52 (TP14). Discussion, 1326.

Marin, Joseph

Combined Tension-Torsion Creep-Time Relations for Aluminum Alloy 2S-O, 1054. Discussion, 1072.

Markwardt, J. L.

FAO Committee on Mechanical Wood Technology Holds Conference at Geneva, Switzerland. Published in ASTM BULLETIN, No. 163, January, 1950, p. 41.

Mather, Bryant

Discussion, 1287, 1325, 1381. Method of Petrographic Examination of Aggregates for Concrete, 1288. Discussion, 1312.

Mather, Katharine

Method of Petrographic Examination of Aggregates for Concrete, 1288. Discussion, 1312.

May, Thomas P.

Spray Testing With Natural and Synthetic Sea Water. Part I.—Corrosion Characteristics in the Testing of Metals, 1131. Discussion, 1142.

Spray Testing With Natural and Synthetic Sea Water. Part II.—A Study of Organic Coatings, 1144.

McAlpin, George A.

Introduction—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

McCoy, W. J.

The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

McFadden, Gayle

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1). Discussion, p. 47 (TP9).

McHenry, Douglas

Some Examples of Dynamic Testing in the Field of Materials and Structures—Sum-

mary of Proceedings of the Symposium on Dynamic Stress Determinations, 1433.

McLeod, N. W.

Application of Triaxial Testing to the Design of Bituminous Pavements—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

McMaster, Robert C.

A Basic Guide for Management's Choice of Non-Destructive Tests—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Meier, J. W.

Discussion, 988, 1011.

Meissner, H. S.

Discussion, 1312, 1324.

Pozzolans Used in Mass Concrete—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Melsheimer, L. A.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 43 (TP269).

Menezes, L.

The Tetragonality of the Sigma Phase in the Iron-Chromium System—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Menzel, Carl A.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 52 (TP14).

Mielenz, R. C.

Effect of Calcination on Natural Pozzolans—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Mighton, J. W.

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 43 (TP97).

Mikhailov, G. S.

Direct Explosion Test to Evaluate Load-Carrying Capacity of Welded Steel Structures. Published in ASTM BULLETIN, No. 172, February, 1951, p. 53 (TP67).

Millson, J. C.

Discussion, 1051.

Mitchell, Nolan D.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 53 (TP15).

Mochel, N. L.

Discussion, 859.

Moore, H. F.

Discussion, 576, 1071, 1082.

Moran, W. T.

Laboratory Tests of Protective Coatings *versus* Service Results. Published in ASTM BULLETIN, No. 165, April, 1950, p. 73 (TP99). Discussion, p. 80 (TP106).

Summary of Methods for Determining Pozzolanic Activity—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Morehead, F. F.

Modern Microscopy of Films and Fibres. Published in ASTM BULLETIN, No. 163 January, 1950, p. 54 (TP4).

Moriarty, C. D.

The Economics of Wrought Steel Inspection—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Morrow, A. S.

Specific Problems Pertaining to Lubrication of Industrial Turbines—Summary of Proceedings of the Symposium on Turbine Oils, 1429.

Morrow, James G.

Annual Address by the President, 26. Also published in ASTM BULLETIN, No. 167, July, 1950, p. 55 (TP137).

Morse, M. P.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 39 (TP265).

Moser, Frank

Approximating the Attractive Forces of Adhesion for Glass and Other Surfaces. Published in ASTM BULLETIN, No. 169, October, 1950, p. 62 (TP248).

Moyer, William E.

Correlation of Accelerated Weathering Machines. Published in ASTM BULLETIN, No. 164, February, 1950, p. 32 (TP44).

Murray, J. A.

The Effect of Time and Temperature of Burning on the Properties of Quicklime Prepared From Calcite, 1263. Discussion, 1281.

N**Nelson, Edward T.**

Methods of Evaluating Aircraft Primers Published in ASTM BULLETIN, No. 167, July, 1950, p. 88 (TP170). Discussion, p. 92 (TP174).

Discussion, published in ASTM BULLETIN, No. 166, May, 1950, p. 60 (TP122).

Neros, C. A.

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 43 (TP97).

Newman, Sanford B.

A New Technique for Cutting Very Thin Sections and Its Application to the Electron Microscopy of Fibers. Published in ASTM BULLETIN, No. 163, January, 1950, p. 57 (TP7).

Nielsen, Lawrence E.

Some Instruments for Measuring the Dynamic Mechanical Properties of Plastic Materials. Published in ASTM BULLETIN, No. 165, April, 1950, p. 48 (TP74).

Nimeroff, I.

The Measurement of 60-Degree Specular Gloss. Published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP240).

Nisbet, J. D.

Discussion, 1127.

Niswander, R. V.

Fire-Resistant Finishes for Aircraft. Published in ASTM BULLETIN, No. 166, May, 1950, p. 53 (TP115).

Nowell, Louis A., Jr.

Investigation of Bearing Materials Under Various Degrees of Lubrication in the Low-Speed Range. Published in *ASTM BULLETIN*, No. 168, September, 1950, p. 47 (TP175).

O**Oberg, J. L.**

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service, 809.

O'Connor, D. T.

Discussion, 1342.

Olt, T. F.

Discussion, 1100.

P**Parker, E. R.**

Creep as a Surface Dependent Phenomenon—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Parker, R. T.

Discussion, 1012.

Perdue, L. M.

Discussion, published in *ASTM BULLETIN*, No. 168, September, 1950, p. 66 (TP194).

Pepper, Leonard

Discussion, published in *ASTM BULLETIN*, No. 173, April, 1951, p. 50 (TP104).

Peterson, R. E.

Discussions of a Century Ago Concerning the Nature of Fatigue, and Review of Some of the Subsequent Researches Concerning the Mechanism of Fatigue. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 50 (TP62). Discussion, p. 55 (TP67).

Discussion, 730.

Peyton, R. L.

Experience with Pozzolanic Materials in Kansas—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concrete, 1327.

Pfeffer, Edward C., Jr.

The Dimensional Stability and Shrink-Proofing of Cotton Materials. Published

in *ASTM BULLETIN*, No. 167, July, 1950, p. 86 (TP168).

Pickus, M. R.

Creep as a Surface Dependent Phenomenon—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Piltch, A.

Ultrasonic Testing of Bronze Forgings and Ingots—Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Piper, T. E.

Fatigue Characteristics of Aircraft Materials and Fastenings. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 60 (TP122).

Pirtz, David.

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete, 1283. Discussion, 1287.

Pitman, E. P.

Discussion, 1326.

Plate, R. B.

Automatic Control of Thermal Conductivity Apparatus. Published in *ASTM BULLETIN*, No. 170, December, 1950, p. 69 (TP295).

Plaza, Lorenzo

A Suggested Relocation and Respacing of the Union Colorimeter Scale for Lubricating Oil and Petrolatum. Published in *ASTM BULLETIN*, No. 167, July, 1950, p. 63 (TP145).

Plummer, Harry C.

Discussion, published in *ASTM BULLETIN*, No. 168, September, 1950, p. 78 (TP206).

Polivka, Milos

Exploratory Tests to Develop a Method for Determining the Air Content of Hardened Concrete, 1283.

Proudley, C. E.

Discussion, published in *ASTM BULLETIN*, No. 171, January, 1951, p. 46 (TP8).

Putman, John W.

Sigma Phase in Chromium-Molybdenum Alloys with Iron or Nickel—Summary of Pro-

ceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

R**Ramberg, Walter**

Discussion, 1195.

Read, T. K.

The Tetragonality of the Sigma Phase in the Iron-Chromium System—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Reid, David G.

Durability Tests of Metalite Sandwich Construction. Published in ASTM BULLETIN, No. 164, February, 1950, p. 28 (TP40).

Reinhart, Frank W.

Discussion, 1427.

Evaluation of Adhesives for Acoustical Tile. Published in ASTM BULLETIN, No. 169, October, 1950, p. 57 (TP243).

Resistance of Representative Plastic Materials to Hydrofluoric Acid. Published in ASTM BULLETIN, No. 167, July, 1950, p. 60 (TP142).

Discussion, published in ASTM BULLETIN, No. 173, April, 1951, p. 43 (TP97).

Reinsmith, Gerald

Plastics Specifications in the Federal Government, Published in ASTM BULLETIN, No. 163, January, 1950, p. 78 (TP28).

Reynolds, E. E.

Super Creep-Resistant Alloys—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Richards, J. T.

Discussion, 1034.

The Forming Characteristics of Beryllium Copper Strip, 1085. Discussion, 1100.

Ricketts, W. C.

Corps of Engineers' Method for Design and Control of Asphalt Paving Mixtures. Published in ASTM BULLETIN, No. 171, January, 1951, p. 39 (TP1). Discussion, p. 47 (TP9).

Roberts, H. C.

Analysis and Interpretation of Dynamic Records—Summary of Proceedings of the

Symposium on Dynamic Stress Determinations, 1433.

Roberts, W. W.

Discussion, published in ASTM BULLETIN, No. 167, July, 1950, p. 90 (TP172).

Roros, J. K.

The Tetragonality of the Sigma Phase in the Iron-Chromium System—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Rosenthal, D.

Discussion, 732.

Rosser, J. N.

The Measurement of Dynamic Modulus in Adhesive Joints at Ultrasonic Frequencies, 1414. See also Summary of Proceedings of the Symposium on Ultrasonic Testing, 1435.

Royer, G. L.

Some Applications of Modern Microscopy to the Study of Chemical Phenomena and in the Dyeing and Printing of Textiles. Published in ASTM BULLETIN, No. 165, April, 1950, p. 46 (TP72). Discussion, published in ASTM BULLETIN, No. 167, July, 1950, p. 73 (TP155).

S**Sabean, D. W.**

The Effect of Time and Temperature of Burning on the Properties of Quicklime Prepared From Calcite, 1263. Discussion, 1281.

Samans, Carl H.

Discussion, 880.

Sawyer, C. L.

Application of Triaxial Compression Test Results to Highway Soils Problems—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Schalliol, Willis.

The Effect of Environment on the Stress-Rupture Properties of Metals at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Schapiro, Leo.

Discussion, 743, 929, 961.

Scheil, M. A.

Observations of the Effect of Sigma on the Mechanical Properties of Columbium-Stabilized Weldments in Austenitic Stainless Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Schmitz, F. W.

Observations of the Effect of Sigma on the Mechanical Properties of Columbium-Stabilized Weldments in Austenitic Stainless Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Scholer, C. H.

Discussion, 1230, 1313, 1324.

Experience with Pozzolanic Materials in Kansas—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Tests for Air-Entraining Agents in Cement and Concrete. Published in ASTM BULLETIN, No. 163, January, 1950, p. 61 (TP11).

Schroeder, William.

Forming Parameters and Criteria for Design and Production—Summary of Proceedings of the Symposium on Plasticity and Creep of Metals, 1208.

Schwartz, H. A.

Reproducibility of Results of Tension Tests on Specimens Prepared From Cast Steel Coupons, 1167.

Schwinn, W. L.

The Economics and Practical Application of Cobalt 60 in the Radiographic Inspection of Steel Weldments—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Scofield, Francis.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 38 (TP264).

Seens, W. B.

Hardened Alloy Steel for Service up to 700 F., 882. Discussion, 894.

Shaw, C. M.

Discussion, published in ASTM BULLETIN, No. 170, December, 1950, p. 66 (TP292).

Shaw, Joseph H.

Discussion, 647.

Shepard, O. Cutler.

The Effect of Environment on the Stress-Rupture Properties of Metals at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Shinn, D. A.

Discussion, 1051.

Shortsleeve, F. J.

Discussion, 880.

Sieffert, L. E.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates, 1383.

Siggelkow, John.

Discussion, published in ASTM BULLETIN, No. 168, September, 1950, p. 82 (TP210).

Sillard, B. A.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 42 (TP 268).

Sinclair, G. M.

Discussion, 1082.

Some Effects of Austenitic Grain Size and Metallurgical Structure on the Mechanical Properties of Steel, 587. Discussion, 618.

Sinclair, W. P.

Automatic Control of Thermal Conductivity Apparatus. Published in ASTM BULLETIN, No. 170, December, 1950, p. 69 (TP295).

Skinner, E. N.

Preliminary Studies of the Effect of Oxidizing Sulfurous Atmospheres on the Rupture Strengths of Inconel "X" and Inconel—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Smack, John C.

Basic Principles of Ultrasonic Testing—Summary of Proceedings of the Papers on Ultrasonic Testing, 1435.

Smart, J. S.

Discussion, 1082.

Smith, E. M.

The Forming Characteristics of Beryllium Copper Strip, 1085.

Smith, G. V.

Hardened Alloy Steel for Service up to 700 F., 882. Discussion, 894.

Identification and Mode of Formation and Re-Solution of Sigma Phase in Austenitic Chromium-Nickel Steels—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma phase, 1209.

Smith, V. R.

Applications of the Triaxial Test to Bituminous Mixtures—California Research Corp. Method—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Snodgrass, T. J.

Discussion, 1143.

Solnar, George.

Discussion, published in ASTM BULLETIN, No. 168, September, 1950, p. 77 (TP205).

Spear, Norman H.

A Proposed Method of Test for Specific Heat of Thermal Insulating Materials. Published in ASTM BULLETIN, No. 168, September, 1950, p. 79 (TP207). Discussion, No. 173, April, 1951, p. 51 (TP105).

Spindt, R. S.

A Laboratory Study of Intake Valve Burning. Published in ASTM BULLETIN, No. 164, February, 1950, p. 43 (TP55).

Spurgeon, W. M.

Testing Cement Base Paints and Damp-proofers. Published in ASTM BULLETIN, No. 171, January, 1951, p. 53 (TP15). Discussion, p. 56 (TP18).

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 52 (TP14).

Stadtfeld, N. T.

Discussion, 1231.

Stanton, T. E.

Discussion, 1227.

Introduction—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Studies of Use of Pozzolans for Counteracting Excessive Concrete Expansion Resulting

From Reaction Between Aggregates and Alkalies in Cement—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concrete, 1327.

Stark, H. J.

Outdoor Weather Aging of Plastics Under Various Climatological Conditions. Published in ASTM BULLETIN No. 173, April, 1951, p. 31 (TP85).

Stauffacher, E. R.

Discussion, published in ASTM BULLETIN, No. 165, April, 1950, p. 78 (TP104).

Stevens, R. R.

Felt Tests and Specifications and Their Interpretation. Published in ASTM BULLETIN, No. 164, February, 1950, p. 48 (TP60).

Stewart, Raymond S.

The Formation of Sigma and Its Influence on the Behavior of Stabilized 18 per cent Chromium-8 per cent Nickel Steels in Concentrated Nitric Acid—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

Stickley, G. W.

Effects of Anodic Coatings on the Fatigue Strength of Aluminum Alloys, 735. Discussion, 743.

Stillinger, J. R.

Strength and Related Properties of Old-Growth Douglas-Fir Infected with Fomes Pini. Published in ASTM BULLETIN, No. 173, April, 1951, p. 52 (TP106).

Strauss, H. L., Jr.

The Need for Standardization of Industrial Diamond Products. Published in ASTM BULLETIN, No. 165, April, 1950, p. 57 (TP83).

Stringham, L. K.

Discussion, 785.

Styri, Haakon

Discussion, 692.

Sward, G. G.

Panel Discussion on Colorimetry. Published in ASTM BULLETIN, No. 170, December, 1950, p. 43 (TP269).

Swartzel, K. D.

Selection of Recording Equipment for Dynamic Testing—Summary of Proceedings of the Symposium on Dynamic Stress Determinations, 1433.

Swayze, M. A.

Discussion, 1229.

T**Talbot, A. M.**

Effect of Temperatures on the Mechanical Properties, Characteristics, and Processing of Austenitic Stainless Steels, 895. Discussion, 930.

Preliminary Studies of the Effect of Oxidizing Sulfurous Atmospheres on the Rupture Strengths of Inconel "X" and Inconel—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Tarasov, L. P.

Effects of Grinding and Other Finishing Processes on the Fatigue Strength of Hardened Steel, 668. Discussion, 694.

Taylor, D. W.

A Triaxial Shear Investigation of a Partially Saturated Soil—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Templin, R. L.

A Method for Making Tension Tests of Metals Using a Miniature Specimen, 1188. Discussion, 576, 586, 714.

Tess, R. W.

Discussion, published in ASTM BULLETIN, No. 170, December, 1950, p. 67 (TP293).

Thompson, J. G.

Discussion, 961.

Thompson, J. Trueman.

A New Technique for Bond Measurement in Reinforced Concrete. Published in ASTM BULLETIN, No. 166, May, 1950, p. 69 (TP-131). Discussion, published in ASTM BULLETIN, No. 169, October, 1950, p. 54 (TP 240).

Timoshenko, S.

Discussion, published in ASTM BULLETIN, No. 164, February, 1950, p. 54 (TP66).

Tongberg, C. O.

High Detergency Motor Oils—Summary of Proceedings of the Symposium on High Additive Content Oils, 1428.

Toolin, P. R.

Discussion, 761, 949.

Tour, Sam

Discussion, 647, 1165.

Tremper, Bailey

Discussion, 1225.

The Optimum Gypsum Content of Portland Cement. Published in ASTM BULLETIN, No. 169, October, 1950, p. 39 (TP225).

Troeller, W. J., Jr.

Discussion, published in ASTM BULLETIN, No. 167, July, 1950, p. 73 (TP155).

Tschebotarioff, G. P.

Discussion, 1338.

Tucker, J. T., Jr.

Welds Between Dissimilar Alloys in Full-Size Steam Piping, 789. Joint Discussion, 860.

Turnbull, W. J.

Discussion, 1361.

Tyler, I. L.

Discussion, 1325.

U**Urban, Stephen F.**

The Formation of Sigma and Its Influence on the Behavior of Stabilized 18 per cent Chromium—8 per cent Nickel Steels in Concentrated Nitric Acid—Summary of Proceedings of the Symposium on the Nature, Occurrence, and Effects of Sigma Phase, 1209.

V**Van Horn, Kent R.**

Discontinuities in Cast and Wrought Products That Can Be Revealed by Non-Destructive Tests—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Verbeck, George J.

Long-Time Study of Cement Performance in Concrete Chapter 6—The Heats of Hydration of the Cements, 1235.

von Bergen, Werner

Dimensional Stability of Woolen and Worsted Fabrics. Published in *ASTM BULLETIN*, No. 167, July, 1950, p. 74 (TP156).

W**Wagner, A. A.**

Shear Characteristics of Remolded Earth Materials—Summary of Proceedings of the Symposium on Triaxial Loading, 1431.

Wakeman, C. M.

Discussion, 1381.

Introduction—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

Wantland, Dart

Electrical Resistivity Method Applied to the Investigation of Construction Materials Deposits, 1364. Discussion, 1382.

Warner, A. J.

The Use of Electrical Measurements to Predict the Mechanical Properties of Plasticized Polyvinyl Resins. Published in *ASTM BULLETIN*, No. 165, April, 1950, p. 53 (TP79).

Washa, G. W.

Tests for Air-Entraining Agents in Cement and Concrete. Published in *ASTM BULLETIN*, No. 163, January, 1950, p. 61 (TP11). Discussion, published in *ASTM BULLETIN*, No. 168, September, 1950, p. 83 (TP211).

Weil, Walter

Discussion, 1034.

Weisberg, H.

Discussion, 858.

Weisman, M. H.

The Fatigue Strength of Steel Through the Range From $\frac{1}{2}$ to 30,000 Cycles of Stress, 649. Discussion, 667.

Discussion, published in *ASTM BULLETIN*, No. 166, May, 1950, p. 64 (TP126).

Wenk, Samuel A.

A Basic Guide for Management's Choice of Non-Destructive Tests—Summary of Proceedings of the Symposium on the Rôle of Non-Destructive Testing in the Economics of Production, 1434.

Wernimont, Grant

Precision and Accuracy of Test Methods—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

The Design and Interpretation of Inter-laboratory Test Programs. Published in *ASTM BULLETIN*, No. 166, May, 1950, p. 45 (TP107).

White, G. E.

Survey of Pickups for Dynamic Physical Measurements—Summary of Proceedings of the Symposium on Dynamic Stress Determination, 1433.

Whittemore, J. W.

Discussion, published in *ASTM BULLETIN*, No. 168, September, 1950, p. 78 (TP206).

Wight, R. H.

Preliminary Considerations for Testing Sandwich Radome Materials. Published in *ASTM BULLETIN*, No. 164, February, 1950, p. 19 (TP31).

Wilder, A. B.

Welding Characteristics of Open Hearth and Bessemer Seamless Steel Pipe, 763. Discussion, 781.

Wilkes, G. B., Jr.

The Effect of Various Treatments on the Fatigue Strength of Notched S-816 and Timken 16-25-6 Alloys at Elevated Temperatures, 744.

Stress Corrosion Tests on Turbo-Supercharger Materials in the Products of Combustion of Leaded Gasoline—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Williams, Harry C., Jr.

Resistance of Representative Plastic Materials to Hydrofluoric Acid. Published in *ASTM BULLETIN*, No. 167, July, 1950, p. 60 (TP142).

Williams, J. L.

Discussion, published in *ASTM BULLETIN*, No. 171, January, 1951, p. 62 (TP24).

Willis, Edward A.

Soil Classification for Highway Purposes—Summary of Proceedings of the Symposium on the Identification and Classification of Soils, 1430.

Wilsnack, G. C.

Discussion, 1325.

The Optimum Gypsum Content of Portland Cement. Published in *ASTM BULLETIN*, No. 169, October, 1950, p. 39 (TP225).

Wilson, J. N.

Discussion, published in ASTM BULLETIN, No. 170, December, 1950, p. 67 (TP293).

Winans, R. R.

Effects of Elevated Temperatures on Strength of Thermosetting Plastic Laminates, 1383.
Outdoor Weather Aging of Plastics Under Various Climatological Conditions. Published in ASTM BULLETIN, No. 173, April, 1951, p. 31 (TP85).

Winslow, E. H.

X-Ray Methods in the Analysis and Preparation of Leaded Gasoline. Published in ASTM BULLETIN, No. 167, July, 1950, p. 67 (TP 149).

Wishart, R. S.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 52 (TP14).

Withey, N. H.

Tests for Air-Entraining Agents in Cement and Concrete. Published in ASTM BULLETIN, No. 163, January, 1950, p. 61 (TP11).

Witte, L. P.

Effect of Calcination on Natural Pozzolans—Summary of Proceedings of the Symposium on Use of Pozzolanic Materials in Mortars and Concretes, 1327.

Wolfe, Court L.

A Laboratory Study of Intake Valve Burning. Published in ASTM BULLETIN, No. 164, February, 1950, p. 43 (TP55).

Wolford, E. Y.

Discussion, published in ASTM BULLETIN, No. 171, January, 1951, p. 62 (TP24).

Wood, D. S.

The Influence of Specimen Dimension and Shape on the Results in Tension Impact Testing, 577. Discussion, 586.

Woodcock, Alfred H.

Discussion, 1142.

Impact Deposition of Atmospheric Sea Salts on a Test Plate, 1151. Discussion, 1164.

Woodruff, J. A.

Shrinkage Control of Viscose Rayon Fabrics. Published in ASTM BULLETIN, No. 167, July, 1950, p. 83 (TP165).

Worley, H. E.

Triaxial Design Correlated With Flexible Pavement Performance in Kansas—Sum-

mary of Proceedings of the Symposium on Triaxial Loading, 1431.

Worley, W. J.

The Effect of Temperature on the Creep and Recovery of a Melamine-Glass Fabric Laminate, 1399.

Wylie, R. D.

Some Considerations in the Joining of Dissimilar Metals for High-Temperature High-Pressure Service, 809.

Wyman, L. L.

Discussion, 929.

Y**Yanko, W. H.**

Improved Radioactive-Tracer Carrier for Metal Cleaning Studies. Published in ASTM BULLETIN, No. 170, December, 1950, p. 82 (TP308).

Youden, W. J.

Comparative Tests in a Single Laboratory, Published in ASTM BULLETIN, No. 166, May, 1950, p. 48 (TP110).

The Selection of a Limited Number From Many Possible Conditioning Treatments for Alloys to Achieve Best Coverage and Statistical Evaluation, 951.

Use of Statistics to Determine Precision of Test Methods—Summary of Proceedings of the Symposium on Application of Statistics, 1432.

Yurenka, Steven

Discussion, 1052.

Yustein, S. E.

Outdoor Weather Aging of Plastics Under Various Climatological Conditions. Published in ASTM BULLETIN, No. 173, April, 1951, p. 31 (TP85).

Z**Zapffe, C. A.**

Hydrogenizing Effect of Steam on Ferrous Alloys at Elevated Temperatures—Summary of Proceedings of the Symposium on Corrosion of Materials at Elevated Temperatures, 1207.

Zezula, A. E.

Discussion, 666.

Ziegler, N. A.

Hardening of Austenitic Stainless Steels by Mechanical Working at Sub-Zero Temperatures, 861. Discussion, 881.

Zuschlag, T.

Discussion, 1206.

1950 PAPERS

LIST OF SPECIAL TECHNICAL PUBLICATIONS

In the Proceedings, Volume 48, page 1352 (1948), and Volume 49, page 1240 (1949) the Society published the list of Special Technical Publications that have been published by the Society since its organization. The following are the publications that have been printed during the year 1950 and issued as a separate publication not included in either Proceedings or ASTM BULLETIN.

SPECIAL TECHNICAL PUBLICATION NUMBER	TITLE	SPECIAL TECHNICAL PUBLICATION NUMBER	TITLE
15-C	Manual on Quality Control of Materials (1950).	103	Symposium on Application of Statistics (1949).
48-B	Alphabetical and Numerical Indexes of X-Ray Diffraction Data (1950).	104	Symposium on Dynamic Stress Determinations (1949).
52-A	Data on Corrosion- and Heat-Resistant Steels and Alloys—Wrought and Cast (1950).	105	Symposium on Turbine Oils (1949).
56-F	1949 Supplement to the Bibliography and Abstracts on Electrical Contacts.	106	Symposium on Triaxial Testing of Soils and Bituminous Mixtures (1950).
58-B	Report on Standard Samples for Spectrochemical Analysis (1950).	107	Symposium on Plasticity and Creep of Metals (1949).
99	Symposium on Use of Pozzolanic Materials in Mortars and Concretes (1949).	108	Symposium on Corrosion of Materials at Elevated Temperatures (1950).
100	Report on the Strength of Wrought Steels at Elevated Temperatures (1950).	109	Physical Constants of Hydrocarbons Boiling Below 350 F. (1950).
101	Symposium on Ultrasonic Testing (1949).	110	Symposium on the Nature, Occurrence, and Effects of Sigma Phase (1950).
102	Symposium on High Additive Content Oils (1949).	111	Symposium on Viscosity Measurements (1950).
		112	Symposium on the Rôle of Non-Destructive Testing in the Economics of Production (1950).
		113	Symposium on the Identification and Classification of Soils (1950).

